

75 Tons Underlift Heavy Duty Rotator With 360 Operation Boom 3 Stages Boom

Our Product Introduction

for more products please visit us on hbitruck.com

Basic Information

- Place of Origin: Hubei, China
- Brand Name: iTruck
- Minimum Order Quantity: 1
- Price: \$95000/units
- Packaging Details: Nude, covered with protection film
- Delivery Time: 75 days
- Supply Ability: 5 unit/month



Product Specification

- Product Name: Rotator
- Dimensions (L X W X H) (mm): Custom Made To Fit Your Truck
- Condition: New
- Drive Type: 8*6 Driving/10x6 Driving
- WheelBase: As Required
- Main Winch: 25 Tons, 2 Pcs, And 10 Tons, 2 Pcs
- Auxiliary Winch: Optional
- Underlift: G70, 3 Sections
- Boom: G70, 3 Sections
- Remote Control: Wireless
- Hydraulic: DOT Certified
- Warranty: 3 Year
- Highlight: 75 Tons Heavy Duty Rotator,
75 Tons rotator wrecker,
360 Operation Boom Heavy Duty Rotator



More Images



Product Description

Product Description

75 TONS 360 OPERATION BOOM 3 STAGES BOOM AND UNDERLIFT HEAVY ROTATOR

The rotator series has different capacities from 20 tons to 100 tons.

MAXIMUM STABILITY FOR MAXIMUM PERFORMANCE.

The strength and stability of the 75 tons rotator comes from the industry-leading outriggers and unique frame design. The rotator also comes with standard joystick remote control, it supports stable and safe operation.

Main Features

1. 25 Tons / 55,600 lbs Planetary Winch, 2 Pcs. Auxiliary 10 Tons / 22,000 lbs Planetary Winch, 2 Pcs. Total 75 Tons / 166,000 lbs.
2. 28 Tons / 62,000 lbs. Underlift Capacity, Tow Rate At Least 56 Tons / 125,000 lbs. Underlift Boom 3 Stages.
3. Continuous Boom Rotation, Recovery Boom 3 Stage
4. Joystick Remote Control
5. Optional Aluminum Tool Boxes

Specs

75 Tons Rotator Wrecker Body				
No.	Item	Content	Details	Unit
1	Name	75 Tons Rotator Wrecker Body		
2	Winches	2×30 Tons Main Winches	DOT certified	
		2×10 Tons Auxiliary Winches	DOT certified	
3	Underlift	Underlift	G70 material, 3 stage, hexagon	
4	Boom	Boom	G70 material, 3 stage, hexagon	
5	Legs	Hydraulic	Hydraulic rear and front supporting legs	
6	Frame	LED Lights Frame, full size	Lights DOT certified	
7	Toolbox	Stainless Steel Handle	Made to fit your truck. Aluminum alloy tool box extra USD5,000	
8	Hook-Ups	Air and Electrical Hook-Ups	12V or 24V, DOT certified	
9	Control	Remote Wireless Control	11 ways Joystick Type, chest mount	
		Hand Manual Control	On Lift and Right Sides, English Indication	
10	Hydraulic Parts	Hydraulic Pump	Double Pump	
		Hydraulic Hose	DOT Certified	
		Hose Connector	DOT Certified	
		Valves	DOT Certified	
		Hydraulic Cylinders	Famous HZLI cylinders	
11	Attachments	5 Sets of Forks	4 sets for axle, 1 set for suspension	
		U shape tyres holder	1 set	
		Safety Chains	2 pcs	
12	Painting and Indication	Electrophoresis Painting	Whole Wrecker Body, including crane and underlift, EP Painting and baking	
		Surface Painting	Epoxy Resin	
		Indication	English Indication and Marks as per Miller	
Specifications				
1	Underlift	Retracted Lifting Capacity	28000	kg
		Retracted Length	1746	mm
		Extended Lifting Capacity	8310	kg
		Extended Length	3492	mm
		Undelift Tilt	-10	°
2	Boom	Retracted Lifting Capacity (45°)	75	ton
		Extended Lifting Capacity (45°)	11.5	ton
		Max. Lifting Tilt	65	°
		Max. Lifting Height	13029	mm
		Boom Hook(Max. Lifting Height)Away from Underlift(Folding)	5219	mm
3	Main Winches	Quantity	2	pcs
		Pulling Power	30	ton
		Type	Planetary	
		Steel Wire Length	55	m

		Steel Wire Diameter	28	mm
4	Auxiliary Winches	Quantity	2	pcs
		Pulling Power	10	ton
		Steel Wire Length	45	m
		Steel Wire Diameter	16	mm



Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,
QINGSHAN DISTRICT, WUHAN