

## 20 Tons Boom And Underlift Heavy Duty Wrecker Recovery Truck Bodies Manual Transmission

Our Product Introduction

for more products please visit us on [hbitruck.com](http://hbitruck.com)

### Basic Information

- Place of Origin: Hubei, China
- Brand Name: iTruck
- Minimum Order Quantity: 1
- Price: \$25,500.00/units
- Packaging Details: Nude, covered with film protection
- Delivery Time: 60 days
- Supply Ability: 5 sets per month



### Product Specification

- Product Name: Integrated Wrecker Truck Body
- Transmission Type: Manual
- Dimensions (L X W X H) (mm): Customs Made
- Condition: New
- WheelBase: As Required
- Subframe: Equipped
- Main Winch: 10 Tons, 2 Pcs
- Underlift: 3 Sections, Optional 4
- Underlift Tow Rating: 20 Ton
- Operation: Both Sides Manual
- Remote Control: Optional
- Warranty: 2 Year
- Highlight: **20 ton wrecker Manual Transmission, Manual Transmission Heavy Duty Wrecker, 20 Tons Recovery Truck Bodies**



### More Images



## Product Description

### 20 TONS BOOM AND UNDERLIFT HEAVY DUTY INTEGRATED WRECKER RECOVERY TRUCK BODY

#### Product Description

The heavy duty integrated series have different capacities from 20 tons to 50 tons.

#### BUILT FOR STRENGTH, RELIABILITY AND DURABILITY

The 20 tons integrated wrecker features a 44,500 lb. 2- or 3-stage wrecker boom, corrosion, resistant body and optional 3- or 4-stage underlifts – all designed with strength and performance in mind.

#### Main Features

1. 10 Tons / 22,200 lbs. Planetary Winch, 2 Pcs. Total 20 Tons / 44,500 lbs.
2. 20 Tons / 44,500 lbs. Underlift Capacity, Tow Rate At Least 40 Tons / 88,800 lbs.
3. Optional Remote Control
4. Sides Tool Boxes
5. Optional Front Legs and Side Pullers

#### Specs

20 Tons Wrecker Body Specs				
No.	Item	Content	Details	Unit
1	Name	20 Tons Wrecker Body		
2	Winches	2×10 Tons Main Winches		Side puller/ extra winch is optional, extra USD2,500
3	Under lift	Under lift	G70 material, 3 stage	
4	Boom	Boom	G70 material, 2 stage, hexagon	
5	Legs	Rear	Hydraulic rear supporting legs	Front support legs extra USD3,500
6	Frame	LED Lights Frame, full size		
7	Toolbox	On Both Sides	Carbon steel Q345R, with stainless steel handles	Aluminum tool box optional, extra USD5,000
8	Hook-Ups	Air and Electrical Hook-Ups	12V or 24V	
9	Control	Remote Wireless Control	Button remote control	Joystick type remote control, English Display, optional, extra USD2,000
		Hand Manual Control	On Lift and Right Sides, English Indication	
10	Hydraulic Parts	Hydraulic Pump		
		Hydraulic Hose		
		Hydraulic Connector		
		Valves	Italy	
		Cylinders		
11	Attachments	5 Sets of Forks	4 sets for axle, 1 set for suspension	
		U shape tyres holder	1 set	
		Safety Chains	2 pcs	
12	Painting and Indication	Electrophoresis Painting	Primer and surface normal painting	All subframe with boom, under lift and tool box EP painting optional, extra USD2,500
		Surface Painting	Epoxy Resin	
		Indication	English Indication and Marks	
		Packaging	Boxes and under lift protected for the painting	
Specifications				
1	Underlift	Retracted Lifting Capacity	20000	kg
		Retracted Length	1746	mm
		Extended Lifting Capacity	6500	kg
		Extended Length	3110	mm
		Undelift Tilt	-10	°

		Towing Capacity	40	ton
2	Boom	Retracted Lifting Capacity (45°)	20	ton
		Extended Lifting Capacity (45°)	12	ton
		Max. Lifting Tilt	33	°
		Max. Lifting Height	7022	mm
3	Main Winches	Quantity	2	pcs
		Pulling Power	10	ton
		Type	Planetary	
		Steel Wire Length	45	m
		Steel Wire Diameter	18	mm



**ITRUCK**  
SPECIAL VEHICLES

**Hubei iTruck Import and Export Trading Co., Ltd**

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,  
QINGSHAN DISTRICT, WUHAN