4 Tons Euro 6 LHD Dongfeng Tilt Bed Tow Truck Easy To Maintain

Basic Information

Place of Origin: Hubei, ChinaBrand Name: Dongfeng

Minimum Order Quantity: 1Packaging Details: NudeDelivery Time: 15 days

• Supply Ability: 30 sets per month



Product Specification

Product Name: Flatbed Wrecker Truck
 Dimensions (L X W X H) 7600x2350x2600mm

(mm):

Condition: New Main Winch: 4 Tons

• Underlift: 2 Sections, 3 Tons

• Underlift Tow Rating: 6 Tons

Operation: Both Sides Manual

Remote Control: Optional
Warranty: 1 Year
Bed Dimension: 5600x2350mm

• Highlight: 4 Tons tilt bed tow truck,

Dongfeng tilt bed tow truck, Dongfeng flatbed tilt truck



Product Description

4 TONS EURO 6 LHD DONGFENG DECK TOW TRUCK FLATBED TILT TRAY TRUCK

Product Description

The 4 tons Dongfeng flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

- 1. Bed Length 5.6 m. Capacity 4 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

4 Tons Dongfeng Flatbed Wrecker Truck	(
Overview			
Name	4 Tons Dongfeng Flatbed Wrecker Truck		
Dimension (LxWxH)	7600x2350x2600(mm)		
Total Mass	8520Kg		
Rated Payload	5000Kg		
Kerb Weight	3520Kg		
Passenger	3		
The Parameters of Chassis			
Manufacture/Model	Dongfeng		
Driving Type	4*2 left hand drive		
Wheel Base	3800 mm		
Gearbox	Six speed forward and one reverse, manual		
Tyre	7.50R16		
The Number of Tyre	6+1(spare tyre)		
Leaf Spring Number	8/10+7		
AC, Power Window, Central Locking, etc.	Included		
The Parameters of Engine	·		
Manufacturer/Model	QuanChai/Q25A-150E60		
Rated Power	150hp		
Fuel Type	Diesel oil		
Displacement/Capacity	2496ml		
Emission Standard	Euro 6		
Cylinder	In-line/4/turbo/intercooling		
Max. torque	330N.m		
Velocity	3000rpm		

Body Specs

1 10113 Ollac	Type Tilt Tray	10
General Setti	ngs Color	Customizable, electrophoresis painting is optional and extra USD400
	Winch Capacity	4 tons
	Lift Capacity	4 tons
	Extension Capacity	4 tons
	Underlift Capacity	4 tons
	Platform Material	Q235B, 4mm thick
	Platform Type	Checkered
	Platform Dimension	5600 x 2300 mm (customizable)
	Wireless Remote Control	Optional
	Subframe with Underlift	Match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs
	Frame Lights with Lights Seat	6 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs

	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories Auxiliary Wheels	Auxiliary Wheels	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Tow Chain	1 pcs
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set



Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN