

4 Tons JAC Euro 6 Rollback Flatbed Tow Truck With 3 Passengers

Our Product Introduction

Basic Information

- Place of Origin: Hubei, China
- Brand Name: JAC
- Minimum Order Quantity: 1
- Packaging Details: Nude
- Delivery Time: 15 days
- Supply Ability: 30 sets per month



Product Specification

- Product Name: Flatbed Wrecker Truck
- Dimensions (L X W X H) (mm): 7680x2350x2600mm
- Condition: New
- Main Winch: 4 Tons
- Underlift: 2 Sections, 3 Tons
- Underlift Tow Rating: 6 Tons
- Operation: Both Sides Manual
- Remote Control: Optional
- Warranty: 1 Year
- Bed Dimension: 5600x2300mm
- Highlight: Euro 6 Rollback Flatbed Tow Truck, JAC Rollback Flatbed Tow Truck, 3 Passengers Flatbed Tow Truck



for more products please visit us on hbitruck.com

Product Description

4 TONS JAC EURO 6 ROLL BACK TOWING PLATFORM WRECKER TOWING TRUCK

Product Description

The 4 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc.

With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

1. Bed Length 5.6 m. Capacity 4 Tons.
2. Optional Hitch Ball. Optional Remote Control.
3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

4 Tons JAC Flatbed Wrecker Truck	
Overview	
Name	4 Tons JAC Flatbed Wrecker Truck
Dimension (LxWxH)	7450x2350x2575 (mm)
Total Mass	9100Kg
Kerb Weight	5560Kg
Passenger	3
The Parameters of Chassis	
Manufacture/Model	JAC
Driving Type	4*2 left hand drive
Wheel Base	3800 mm
Gearbox	Six speed forward and one reverse, manual
Tyre	7.50R16LT 14PR
The Number of Tyre	6+1 (spare tyre)
Axle	Front 3 tons and rear 7.2 tons
Air Brake, AC, Power Steer, Central Locking, Power Windows, Multi Functions Steer Wheel, Day Lights, etc	Equipped
The Parameters of Engine	
Manufacturer/Model	Cummins/HFC4DE2-2E
Rated Power	160hp
Fuel Type	Diesel
Displacement/Capacity	2951ml
Emission Standard	Euro 6
Cylinder	In-line/4/EGR+DOC+DPF+SCR+ASC
Max. torque	460N.m
Velocity	2900rpm

Body Specs

4 Tons Slide Type Tilt Tray		
General Settings	Color	Customizable, electrophoresis painting is optional and extra USD400
	Winch Capacity	4 tons
	Lift Capacity	4 tons
	Extension Capacity	4 tons
	Underlift Capacity	4 tons
	Platform Material	Q235B, 4mm thick
	Platform Type	Checkered
	Platform Dimension	5600 x 2300 mm (customizable)
	Wireless Remote Control	Optional
	Subframe with Underlift	Match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs
	Frame Lights with Lights Seat	6 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs

	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Auxiliary Wheels	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Tow Chain	1 pcs
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set



ITRUCK
SPECIAL VEHICLES

Hubei iTruck Import and Export Trading Co., Ltd

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,
QINGSHAN DISTRICT, WUHAN