# Our Produc

## 4000Kg Isuzu Rollback Flatbed Wrecker Truck Diesel Fueled Type

#### **Basic Information**

Place of Origin: Hubei, China
Brand Name: ISUZU
Minimum Order Quantity: 1
Packaging Details: Nude
Delivery Time: 15 days

• Supply Ability: 30 sets per month



#### **Product Specification**

Product Name: Flatbed Wrecker Truck
 Dimensions (L X W X H) 5900x2350x2400mm

(mm):

• Condition:

New

• Main Winch: 4 Tons

• Underlift: 2 Sections, 3 Tons

• Underlift Tow Rating: 6 Tons

Operation: Both Sides Manual

Remote Control: OptionalWarranty: 1 YearBed Dimension: 5200x2350mm

Highlight: Flatbed Wrecker Truck Diesel Fueled,

4000Kg Flatbed Wrecker Truck, 4000Kg rollback tow truck



#### More Images











#### **Product Description**

### 4 TONS ISUZU ROLLBACK FLAT BED TRAY FLATBED WRECKER TOW TRUCK JAPAN Product Description

The 4 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission. With RHD, LHD.

With 4x2, 4x4. Other special requirements you want.

#### Main Features

- 1. Bed Length 5.6 m. Capacity 4 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

#### Truck Specs

Overview		
Name	4 Tons ISUZU Flatbed Wrecker Truck	
Dimension (LxWxH)	7300x2300x2315 (mm)	
Total Mass	7800 Kg	
Rated Payload	4000 Kg	
Kerb Weight	3800 Kg	
Passenger	3	
Approach/Departure Angle	22/13	
The Parameters of Chassis		
Manufacture/Model	ISUZU	
Driving Type	4*2 left hand drive	
Wheel Base	3815 mm	
Gearbox	ISUZU MSB, five speed forward and one reverse,	
	manual	
Front/Rear Track	1377,1425(mm)	
Tyre	700R16	
The Number of Tyre	6+1(spare tyre)	
Front/Rear Suspension	1015/1620(mm)	
The Parameters of Engine		
Manufacturer/Model	ISUZU/4KH1CN5LS	
Rated Power	98hp/72kw	
Fuel Type	Diesel oil	
Displacement/Capacity	2999ml	
Emission Standard	Euro 5	
Cylinder	Straight/4	
Max. torque	220N.m	

#### **Body Specs**

4 Tons Slide Ty	De Till Tray	Customizable, electrophoresis
General Settings Color		painting
deneral delings		is optional and extra USD400
	Winch Capacity	4 tons
	Lift Capacity	4 tons
	Extension Capacity	4 tons
	Underlift Capacity	4 tons
	Platform Material	Q235B, 4mm thick
	Platform Type	Checkered
	Platform Dimension	5600 x 2300 mm (customizable)
	Wireless Remote Control	Optional
	Subframe with Underlift	Match to chassis
inhto		
	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs
	Frame Lights with Lights Seat	6 pcs
System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
	Auxiliary Wheels	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Tow Chain	1 pcs
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set



Hubei iTruck Import and Export Trading Co., Ltd







ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN