KV600 Isuzu 5 Ton Recovery Truck Flatbed Towtrucks With Crane

Basic Information

Place of Origin: Hubei, China
Brand Name: ISUZU
Minimum Order Quantity: 1
Packaging Details: Nude
Delivery Time: 15 days

• Supply Ability: 30 sets per month



Product Specification

Product Name: Flatbed Wrecker Truck
 Dimensions (L X W X H) 8350x2350x3300mm

(mm):

Condition: NewMain Winch: 5 Tons

• Underlift: 2 Sections, 5 Tons

• Underlift Tow Rating: 10 Tons

Operation: Both Sides Manual

Remote Control: OptionalWarranty: 1 Year

• Bed Dimension: 5600x2350mm

• Highlight: KV600 5 Ton Recovery Truck,

Flatbed Towtrucks With Crane, KV600 Flatbed Towtrucks



More Images



Product Description

5 TONS KV600 ISUZU CRANE TRUCK BEDS RECOVERY TRUCK WRECKER MOUNTED TRUCK

Product Description

The 5 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

- 1. Bed Length 5.6 m. Capacity 5 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

5 Tons ISUZU Flatbed Wrecker Truck with 3.2 Tons Crane Overview			
Dimension(LxWxH)	8450x2350x3300(mm)		
Total Mass	11200 Kg		
Rated Payload	5000 Kg		
Kerb Weight	6200 Kg		
Passenger	3		
Approach/Departure Angle	21.5/11		
The Parameters of Chassis			
Manufacture/Model	ISUZU		
Driving Type	4*2 left hand drive		
Wheel Base	4475 mm		
Gearbox	Five speed forward and one reverse, manual		
Tyre	700R16		
The Number of Tyre	6+1(spare tyre)		
Axle	Front 2.5 tons and rear 4.8 tons		
AC,Power Steer,ABS,Air Brake,Tilt Cab	Equipped		
The Paremeters of Engine	•		
Manufacturer/Model	ISUZU/4KH1CN5HS		
Rated Power	130hp/96kw		
Fuel Type	Diesel oil		
Displacement/Capacity	2999ml		
Emission Standard	Euro 5		
Cylinder	Straight/4/turbo charge/intercooling/high pressure common rail		
Max. torque	290N.m		
Velocity	3400rpm		

Body Specs

		Customizable, electrophoresis
General Setting	s Color	painting
-		is optional and extra USD400
	Winch Capacity	5 tons
	Lift Capacity	5 tons
	Extension Capacity	5 tons
	Underlift Capacity	5 tons
	Platform Material	Q235B, 4mm thick
	Platform Type	Checkered
	Platform Dimension	5600 x 2300 mm (customizable)
	Wireless Remote Control	Optional
	Subframe with Underlift	Match to chassis
0	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs
	Frame Lights with Lights Seat	6 pcs

Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Auxiliary Wheels	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Tow Chain	1 pcs
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set



ITRUCK

Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN