

## 4 Tons Dongfeng Euro 3 Slide Bed Recovery Truck With Telescopic Crane

Our Product Introduction

for more products please visit us on [hbitruck.com](http://hbitruck.com)

### Basic Information

- Place of Origin: Hubei, China
- Brand Name: Dongfeng
- Minimum Order Quantity: 1
- Packaging Details: Nude
- Delivery Time: 15 days
- Supply Ability: 30 sets per month



### Product Specification

- Product Name: Flatbed Wrecker Truck
- Dimensions (L X W X H) (mm): 8500x2350x3300mm
- Condition: New
- Main Winch: 4 Tons
- Underlift: 2 Sections, 3 Tons
- Underlift Tow Rating: 6 Tons
- Operation: Both Sides Manual
- Remote Control: Optional
- Warranty: 1 Year
- Bed Dimension: 5600x2350mm
- Highlight: Telescopic Crane slide bed recovery truck,  
Telescopic Crane slide bed tow truck,  
4 Tons slide bed recovery truck



### More Images



## Product Description

### 4 TONS DONGFENG EURO 3 SLIDING TILT TRAY TRUCK SLIDING WRECKER TOW TRUCK WITH TELESCOPIC CRANE

#### Product Description

The 4 tons Dongfeng flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc.

With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

#### Main Features

1. Bed Length 5.6 m. Capacity 4 Tons.
2. Optional Hitch Ball. Optional Remote Control.
3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

#### Truck Specs

4 Tons Flatbed Wrecker with 3.2/4 Tons Crane	
Overview	
Name	4 Tons Flatbed Wrecker with 3.2/4 Tons Crane
Dimension (LxWxH)	8500x2350x3300(mm)
Total Mass	10495 Kg
Rated Payload	5000 Kg
Kerb Weight	5495 Kg
Passenger	3
The Parameters of Chassis	
Manufacture/Model	Dongfeng
Driving Type	4*2 left hand drive
Wheel Base	4400 mm
Gearbox	Five speed forward and one reverse, manual
Front/Rear Track	1835/1640(mm)
Tyre	7.50R16
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1180/1715(mm)
Leaf Spring Number	11/9+7
AC, Air Brake, Power Steer, Central Locking, Power Windows, etc.	Equipped
The Parameters of Engine	
Manufacturer/Model	YuChai
Rated Power	120hp
Fuel Type	Diesel oil
Displacement/Capacity	3856ml
Emission Standard	Euro 3
Cylinder	Straight/4/intercooling
Max. torque	450N.m
Velocity	2500rpm

#### Body Specs

4 Tons Slide Type Tilt Tray		
General Settings	Color	Customizable, electrophoresis painting is optional and extra USD400
	Winch Capacity	4 tons
	Lift Capacity	4 tons
	Extension Capacity	4 tons
	Underlift Capacity	4 tons
	Platform Material	Q235B, 4mm thick
	Platform Type	Checkered
	Platform Dimension	5600 x 2300 mm (customizable)
	Wireless Remote Control	Optional
	Subframe with Underlift	Match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs

	Frame Lights with Lights Seat	6 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Auxiliary Wheels	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Tow Chain	1 pcs
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set



**Hubei iTruck Import and Export Trading Co., Ltd**



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,  
QINGSHAN DISTRICT, WUHAN