Howo Euro 3 Flatbed Wrecker Truck 4 Tons Flatbed Tilt Truck 116hp Rated Power

Basic Information

Place of Origin: Hubei, China
Brand Name: HOWO
Minimum Order Quantity: 1
Packaging Details: Nude
Delivery Time: 15 days

• Supply Ability: 30 sets per month



Product Specification

Product Name: Flatbed Wrecker Truck
 Dimensions (L X W X H) 8300x2350x2600mm

(mm):

Condition: NewMain Winch: 4 Tons

• Underlift: 2 Sections, 3 Tons

• Underlift Tow Rating: 6 Tons

Operation: Both Sides Manual

Remote Control: OptionalWarranty: 1 Year

• Bed Dimension: 5600x2350mm

• Highlight: 4 Tons Flatbed Tilt Truck,

116hp Flatbed Wrecker Truck, Flatbed Wrecker Truck 4 Tons



More Images





Product Description

4 TONS HOWO EURO 3 TILT BED TRUCK WITH LIFT TOW TRUCK WRECKER

Product Description

The 4 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

- 1. Bed Length 5.6 m. Capacity 4 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

3 2// Tone Crane				
4 Tons HOWO Flatbed Wrecker Truck with 3.2/4 Tons Crane Overview				
4 Tons HOWO Flatbed Wrecker Truck with 3.2/4 Tons Crane				
7450x2350x2575 (mm)				
9100Kg				
5560Kg				
3				
HOWO				
4*2 left hand drive				
4500 mm				
WLY646, six speed forward and one reverse, manual				
7.50R16				
6+1(spare tyre)				
Front 2.7 tons and rear 7.2 tons				
Equipped				
•				
Yunnei/YN4102QBZL				
116hp				
Diesel				
3760ml				
Euro 2				
In-line/4				
290N.m				
3000rpm				

Body Specs

4 Tons Slide	Type Tilt Tray	
General Settir	ngs Color	Customizable, electrophoresis painting is optional and extra USD400
	Winch Capacity	4 tons
	Lift Capacity	4 tons
	Extension Capacity	4 tons
	Underlift Capacity	4 tons
	Platform Material	Q235B, 4mm thick
	Platform Type	Checkered
	Platform Dimension	5600 x 2300 mm (customizable)
	Wireless Remote Control	Optional
	Subframe with Underlift	Match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs
	Frame Lights with Lights Seat	6 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs

	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Auxiliary Wheels	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Tow Chain	1 pcs
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set



Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN