# 4x2 RHD/LHD Euro 3 Dongfeng 10 Ton Recovery Truck Tilt Tray Tow Truck

# **Basic Information**

- Place of Origin:
- Brand Name:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Supply Ability:
- Dongfeng 1 Nude

Hubei, China

- 15 days
  - 30 sets per month



## **Product Specification**

- Product Name:
- Dimensions (L X W X H) (mm):
- Condition:
- Main Winch:
- Underlift:
- Underlift Tow Rating:
- Operation:
- Remote Control:
- Warranty:
- Bed Dimension:
- Highlight:

Flatbed Wrecker Truck 10300x2550x2800mm

New

8-10 Tons

- 3 Sections, 8-10 Tons
- 16-20 Tons
- Both Sides Manual
- Optional
- 1 Year
- 8000x2500mm
- Dongfeng 10 Ton Recovery Truck, 4x2 10 Ton Recovery Truck, 4x2 Tilt Tray Tow Truck



## More Images





#### **Product Description**

### 4X2 EURO 3 DONGFENG 10 TONS HEAVY DUTY tow truck tray TILT TRAY TOW TRUCK

## **Product Description**

The 8-10 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission. With RHD, LHD. With 4x2, 4x4. Other special requirements you want.

#### **Main Features**

- 1. Bed Length around 8 m. Capacity 8-10 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

#### **Truck Specs**

Dongfeng 8-10 Tons Flatbed Wrecker Truck	
Overview	
Name	8-10 Tons Flatbed Wrecker Truck
Dimension(LxWxH)	10300x2550x2830(mm)
Total Mass	16420Kg
Rated Payload	8000Kg
Kerb Weight	8420Kg
Passenger	3
Approach/Departure Angle	17/8
The Parameters of Chassis	
Manufacture/Model	Dongfeng
Driving Type	4*2 RHD/LHD
Wheel Base	5200 mm
Gearbox	Eight speed forward and one reverse, manual
Tyre	10.00R20
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1430/3050(mm)
The Paremeters of Engine	i
Manufacturer/Model	Cummins/B190 33
Rated Power	190hp/140kw
Fuel Type	Diesel
Displacement/Capacity	5900ml
Emission Standard	Euro 3
Cylinder	Straight/6/turbo/intercooling
Max. torque	640N.m
Velocity	2500rpm

#### **Body Specs**

General Settings	Color	Customizable, electrophoresis painting is optional
	Winch Capacity	8 - 10 tons
	Lift Capacity	8 - 10 tons
	Extension Capacity	8 - 10 tons
	Underlift Capacity	8 tons (towing up to 16 tons)
	Platform Material	Q235B, 6 -8 mm thick
	Platform Type	Smooth or checkered
	Platform Dimension	8000-9000 x 2500 mm
	Wireless Remote Control	Equipped
	Subframe with Underlift	Equipped and match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	10 pcs
	Frame Lights with Lights Seat	8 pcs
Hydraulio	Bed Extension Cylinder with Seat	1 pcs
-,	Bed Lift Cylinder with Seat	2 pcs
	Supporting Legs Cylinder	2 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
	Wheel Trolleys	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Bed Position Limit	1 set
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set
	Container Pins	4 pcs



 Hubei iTruck Import and Export Trading Co., Ltd

 0086 19947597881
 alex@hbitruck.com
 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN