# Dongfeng 8 Tons Tilt Tray Flat Bed Tow Trucks Customizable High Durability

# **Basic Information**

Place of Origin: Hubei, ChinaBrand Name: Dongfeng

Minimum Order Quantity: 1Packaging Details: NudeDelivery Time: 15 days

• Supply Ability: 30 sets per month



# **Product Specification**

Product Name: Flatbed Wrecker Truck
Dimensions (L X W X H) 10300x2550x2800mm

(mm):

Condition: New Main Winch: 8-10 Tons

• Underlift: 3 Sections, 8-10 Tons

• Underlift Tow Rating: 16-20 Tons

Operation: Both Sides Manual

Remote Control: OptionalWarranty: 1 Year

• Bed Dimension: 8000x2500mm

• Highlight: Flat Bed Tow Trucks Customizable,

8 Tons Flat Bed Tow Trucks, flatbed towing truck High Durability



# More Images







# **Product Description**

## **4X2 EURO 6 DONGFENG 8 TONS TILT TRAY FLAT BED TOW TRUCKS**

### **Product Description**

The 8-10 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

#### **Main Features**

- 1. Bed Length around 8 m. Capacity 8-10 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

### **Truck Specs**

Dongfeng 8-10 Tons Flatbed Wrecke	er Truck
Overview	
Name	8-10 Tons Flatbed Wrecker Truck
Dimension(LxWxH)	10300x2550x2830(mm)
Total Mass	16420Kg
Rated Payload	8000Kg
Kerb Weight	8420Kg
Passenger	3
Approach/Departure Angle	17/8
The Parameters of Chassis	
Manufacture/Model	Dongfeng
Driving Type	4*2 LHD
Wheel Base	5200 mm
Gearbox	Eight speed forward and one reverse, manual
Tyre	10.00R20
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1430/3050(mm)
The Paremeters of Engine	·
Manufacturer/Model	Cummins/ISF4.5
Rated Power	210hp/157kw
Fuel Type	Diesel
Displacement/Capacity	4500ml
Emission Standard	Euro 6
Cylinder	Straight/6/turbo/intercooling
Max. torque	760N.m
Velocity	2500rpm

#### **Body Specs**

General Settings	Color	Customizable, electrophoresis
		painting is optional
	Winch Capacity	8 - 10 tons
	Lift Capacity	8 - 10 tons
	Extension Capacity	8 - 10 tons
	Underlift Capacity	8 tons (towing up to 16 tons)
	Platform Material	Q235B, 6 -8 mm thick
	Platform Type	Smooth or checkered
	Platform Dimension	8000-9000 x 2500 mm
	Wireless Remote Control	Equipped
	Subframe with Underlift	Equipped and match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	10 pcs
	Frame Lights with Lights Seat	8 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Supporting Legs Cylinder	2 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
	Wheel Trolleys	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Bed Position Limit	1 set
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set
	Container Pins	4 pcs



Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com