Diesel Fueled Flatbed Wrecker Truck 8 Tons With Folding Crane

Basic Information

Place of Origin: Hubei, ChinaBrand Name: Dongfeng

Minimum Order Quantity: 1Packaging Details: NudeDelivery Time: 15 days

• Supply Ability: 30 sets per month



Product Specification

Product Name: Flatbed Wrecker Truck With Crane

• Dimensions (L X W X H) 10300x2550x2800mm

(mm):

Condition: New Main Winch: 8-10 Tons

• Underlift: 3 Sections, 8-10 Tons

• Underlift Tow Rating: 16-20 Tons

Operation: Both Sides Manual

Remote Control: OptionalWarranty: 1 Year

• Bed Dimension: 7500x2500mm

• Highlight: Flatbed Wrecker Truck 8 Tons,

Diesel Fueled Flatbed Wrecker Truck, Diesel Fueled flat bed wrecker



More Images







Product Description

4X2 EURO 3 DONGFENG 8 TONS FLATBED TOW TRUCK RECOVERY TRUCK WITH FOLDING CRANE

Product Description

The 8-10 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

- 1. Bed Length around 7-8 m. Capacity 8-10 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

Dongfeng 8-10 Tons Flatbed Wrecker Truck with Knuckle Crane Overview		
	8-10 Tons Flatbed Wrecker Truck with Knuckle	
Name	Crane	
Dimension(LxWxH)	10300x2550x2830(mm)	
Total Mass	16420Kg	
Rated Payload	8000Kg	
Kerb Weight	8420Kg	
Passenger	3	
Approach/Departure Angle	17/8	
The Parameters of Chassis		
Manufacture/Model	Dongfeng	
Driving Type	4*2 RHD/LHD	
Wheel Base	5200 mm	
Gearbox	Eight speed forward and one reverse, manual	
Tyre	10.00R20	
The Number of Tyre	6+1(spare tyre)	
Front/Rear Suspension	1430/3050(mm)	
The Paremeters of Engine	•	
Manufacturer/Model	Cummins/B190 33	
Rated Power	190hp/140kw	
Fuel Type	Diesel	
Displacement/Capacity	5900ml	
Emission Standard	Euro 3	
Cylinder	Straight/6/turbo/intercooling	
Max. torque	640N.m	
Velocity	2500rpm	

Body Specs

General Settings	Color	Customizable, electrophoresis
	Winch Congoity	painting is optional 8 - 10 tons
	Winch Capacity	8 - 10 tons
	Lift Capacity Extension Capacity	8 - 10 tons
		1
	Underlift Capacity	8 tons (towing up to 16 tons)
	Platform Material	Q235B, 6 -8 mm thick
	Platform Type	Smooth or checkered
	Platform Dimension	7000-8000 x 2500 mm
	Wireless Remote Control	Equipped
	Subframe with Underlift	Equipped and match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	10 pcs
	Frame Lights with Lights Seat	8 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Supporting Legs Cylinder	2 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Wheel Trolleys	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Bed Position Limit	1 set
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set
	Container Pins	4 pcs





Hubei iTruck Import and Export Trading Co., Ltd





