4x2 Euro 3 Dongfeng 8000kg Self Loader Tow Truck With 5 Tons Telescopic Crane

Basic Information

- Place of Origin:
- rigin: Hubei, China ne: Dongfeng
- Brand Name:
- Minimum Order Quantity:Packaging Details:
- Delivery Time:
- Supply Ability:
- Nude 15 days

1

30 sets per month



Product Specification

- Product Name:
- Dimensions (L X W X H) (mm):
- Condition:
- Main Winch:
- Underlift:
- Underlift Tow Rating:
- Operation:
- Remote Control:
- Warranty:
- Bed Dimension:
- Highlight:

- Flatbed Wrecker Truck With Crane 10300x2550x2800mm
- New
- 8-10 Tons
- 3 Sections, 8-10 Tons
- 16-20 Tons
- Both Sides Manual Optional
- 1 Year
- 7500x2500mm
- 8000kg Self Loader Tow Truck, Euro 3 Self Loader Tow Truck, 8000kg self loader wrecker



More Images







Product Description

4X2 EURO 3 DONGFENG 8 TONS SELF LOADER TOW TRUCK WITH 5 TONS TELESCOPIC CRANE

Product Description

The 8-10 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission. With RHD, LHD. With 4x2, 4x4. Other special requirements you want.

Main Features

- 1. Bed Length around 7-8 m. Capacity 8-10 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

Dongfeng 8-10 Tons Flatbed Wrecker Truck with Crane				
Overview				
Name	8-10 Tons Flatbed Wrecker Truck with Crane			
Dimension(LxWxH)	10300x2550x2830(mm)			
Total Mass	16420Kg			
Rated Payload	8000Kg			
Kerb Weight	8420Kg			
Passenger	3			
Approach/Departure Angle	17/8			
The Parameters of Chassis				
Manufacture/Model	Dongfeng			
Driving Type	4*2 RHD/LHD			
Wheel Base	5200 mm			
Gearbox	Eight speed forward and one reverse, manual			
Tyre	10.00R20			
The Number of Tyre	6+1(spare tyre)			
Front/Rear Suspension	1430/3050(mm)			
The Paremeters of Engine				
Manufacturer/Model	Cummins/B190 33			
Rated Power	190hp/140kw			
Fuel Type	Diesel			
Displacement/Capacity	5900ml			
Emission Standard	Euro 3			
Cylinder	Straight/6/turbo/intercooling			
Max. torque	640N.m			
Velocity	2500rpm			

Body Specs

General Settings	Color	Customizable, electrophoresis painting is optional 8 - 10 tons	
	Winch Capacity		
	Lift Capacity	8 - 10 tons	
	Extension Capacity	8 - 10 tons	
	Underlift Capacity	8 tons (towing up to 16 tons)	
	Platform Material	Q235B, 6 -8 mm thick	
	Platform Type	Smooth or checkered	
	Platform Dimension	7000-8000 x 2500 mm	
	Wireless Remote Control	Equipped	
	Subframe with Underlift	Equipped and match to chassis	
_ights	Siren Long Lamp with Speaker	1 pcs	
	Sides Lights	10 pcs	
	Frame Lights with Lights Seat	8 pcs	
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs	
	Bed Lift Cylinder with Seat	2 pcs	
	Supporting Legs Cylinder	2 pcs	
	Hydraulic Winch	1 pcs	
	Hydraulic Pump	1 pcs	
	Hydraulic Multi Way Valve	1 pcs	
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)	
	Hydraulic Hose	1 set	
	Hydraulic Hose Containment	1 set	
	Hose Sleeve	1 pcs	
	Manual Control with Stainless Steel Seat	2 sets (on both sides)	
	Oil Tank	1 pcs	
	Wheel Trolleys	2 pcs	
	Straps	4 pcs	
	Toolbox	2 pcs	
	Wheel Grids	2 pcs	
	L arms	2 pcs	
	Fence	2 pcs	
	Mudflap	2 pcs	
	Lamp Frame	1 pcs	
	Bed Position Limit	1 set	
	Frame and Lights Bolts	1 set	
	Toolbox and Fence Brackets Square Tube	1 set	
	Container Pins	4 pcs	



Hubei iTruck Import and Export Trading Co., Ltd				
C	0086 19947597881	alex@hbitruck.com	e hbitruck.com	
ROOM B1084 FLC		ING A, BAOYE CENTER, NO SHAN DISTRICT, WUHAN	. 31ST, JIANSHE FIRST ROAD,	