

4x2 Euro 3 Dongfeng 8000kg Self Loader Tow Truck With 5 Tons Telescopic Crane

Our Product Introduction

for more products please visit us on hbitruck.com

Basic Information

- Place of Origin: Hubei, China
- Brand Name: Dongfeng
- Minimum Order Quantity: 1
- Packaging Details: Nude
- Delivery Time: 15 days
- Supply Ability: 30 sets per month



Product Specification

- Product Name: Flatbed Wrecker Truck With Crane
- Dimensions (L X W X H) (mm): 10300x2550x2800mm
- Condition: New
- Main Winch: 8-10 Tons
- Underlift: 3 Sections, 8-10 Tons
- Underlift Tow Rating: 16-20 Tons
- Operation: Both Sides Manual
- Remote Control: Optional
- Warranty: 1 Year
- Bed Dimension: 7500x2500mm
- Highlight: 8000kg Self Loader Tow Truck, Euro 3 Self Loader Tow Truck, 8000kg self loader wrecker



More Images



Product Description

4X2 EURO 3 DONGFENG 8 TONS SELF LOADER TOW TRUCK WITH 5 TONS TELESCOPIC CRANE

Product Description

The 8-10 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

1. Bed Length around 7-8 m. Capacity 8-10 Tons.
2. Optional Hitch Ball. Optional Remote Control.
3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

| Dongfeng 8-10 Tons Flatbed Wrecker Truck with Crane | |
|---|---|
| Overview | |
| Name | 8-10 Tons Flatbed Wrecker Truck with Crane |
| Dimension(LxWxH) | 10300x2550x2830(mm) |
| Total Mass | 16420Kg |
| Rated Payload | 8000Kg |
| Kerb Weight | 8420Kg |
| Passenger | 3 |
| Approach/Departure Angle | 17/8 |
| The Parameters of Chassis | |
| Manufacture/Model | Dongfeng |
| Driving Type | 4*2 RHD/LHD |
| Wheel Base | 5200 mm |
| Gearbox | Eight speed forward and one reverse, manual |
| Tyre | 10.00R20 |
| The Number of Tyre | 6+1(spare tyre) |
| Front/Rear Suspension | 1430/3050(mm) |
| The Parameters of Engine | |
| Manufacturer/Model | Cummins/B190 33 |
| Rated Power | 190hp/140kw |
| Fuel Type | Diesel |
| Displacement/Capacity | 5900ml |
| Emission Standard | Euro 3 |
| Cylinder | Straight/6/turbo/intercooling |
| Max. torque | 640N.m |
| Velocity | 2500rpm |

Body Specs

8 - 10 Tons Slide Type Tilt Tray

| | | |
|------------------|--|--|
| General Settings | Color | Customizable, electrophoresis painting is optional |
| | Winch Capacity | 8 - 10 tons |
| | Lift Capacity | 8 - 10 tons |
| | Extension Capacity | 8 - 10 tons |
| | Underlift Capacity | 8 tons (towing up to 16 tons) |
| | Platform Material | Q235B, 6 - 8 mm thick |
| | Platform Type | Smooth or checkered |
| | Platform Dimension | 7000-8000 x 2500 mm |
| | Wireless Remote Control | Equipped |
| | Subframe with Underlift | Equipped and match to chassis |
| Lights | Siren Long Lamp with Speaker | 1 pcs |
| | Sides Lights | 10 pcs |
| | Frame Lights with Lights Seat | 8 pcs |
| Hydraulic System | Bed Extension Cylinder with Seat | 1 pcs |
| | Bed Lift Cylinder with Seat | 2 pcs |
| | Supporting Legs Cylinder | 2 pcs |
| | Hydraulic Winch | 1 pcs |
| | Hydraulic Pump | 1 pcs |
| | Hydraulic Multi Way Valve | 1 pcs |
| | Hydraulic Balance Valve | 2 pcs (1 for lift and 1 for underlift) |
| | Hydraulic Hose | 1 set |
| | Hydraulic Hose Containment | 1 set |
| | Hose Sleeve | 1 pcs |
| | Manual Control with Stainless Steel Seat | 2 sets (on both sides) |
| Oil Tank | 1 pcs | |
| Accessories | Wheel Trolleys | 2 pcs |
| | Straps | 4 pcs |
| | Toolbox | 2 pcs |
| | Wheel Grids | 2 pcs |
| | L arms | 2 pcs |
| | Fence | 2 pcs |
| | Mudflap | 2 pcs |
| | Lamp Frame | 1 pcs |
| | Bed Position Limit | 1 set |
| | Frame and Lights Bolts | 1 set |
| | Toolbox and Fence Brackets Square Tube | 1 set |
| Container Pins | 4 pcs | |



ITRUCK
SPECIAL VEHICLES

Hubei iTruck Import and Export Trading Co., Ltd

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM 8, 17TH FLOOR, BUILDING A, JIANGWAN INTERNATIONAL 2ND PHASE, GUTIAN ROAD NO. 19,
QIAOKOU DISTRICT, WUHAN CITY, HUBEI PROVINCE