4x2 Euro 3 Dongfeng 8m Slide Bed Tow Truck 8000kg Both Sides Manual **Operation**

Basic Information

. Place of Origin: Hubei, China • Brand Name: Dongfeng

• Minimum Order Quantity: Packaging Details: Nude • Delivery Time: 15 days

Supply Ability: 30 sets per month



Product Specification

• Product Name: Flatbed Wrecker Truck • Dimensions (L X W X H) 10300x2550x2800mm

(mm):

• Condition: New • Main Winch: 8 Tons

Underlift: 3 Sections, 8 Tons

Underlift Tow Rating: 16 Tons

Both Sides Manual · Operation:

• Remote Control: Optional Warranty: 1 Year

• Bed Dimension: 8000x2500mm

. Highlight: Slide Bed Tow Truck 8000kg, 8m Slide Bed Tow Truck,

8m slide bed recovery truck



More Images



Product Description

4X2 EURO 3 DONGFENG 8 TONS 8M SLIDE BED TOW TRUCK

Product Description

The 8 tons flatbed wrecker truck is available in steel, with multiple deck length and width configurations and different structural deck capacity for more strength and durability on the job.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

- 1. Bed Length around 8 m. Capacity 8-10 Tons.
- 2. Optional Hitch Ball. Optional Remote Control.
- 3. Optional Material from Q235B, Q345, G70, NM500, Hardox 450 etc.

Truck Specs

Dongfeng 8-10 Tons Flatbed Wrecke	ar Truck
Overview	HUCK
Name	8-10 Tons Flatbed Wrecker Truck
Dimension(LxWxH)	10300x2550x2830(mm)
Total Mass	16420Kg
Rated Payload	8000Kg
Kerb Weight	8420Kg
Passenger	3
Approach/Departure Angle	17/8
The Parameters of Chassis	
Manufacture/Model	Dongfeng
Driving Type	4*2 RHD/LHD
Wheel Base	5200 mm
Gearbox	Eight speed forward and one reverse, manual
Tyre	10.00R20
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1430/3050(mm)
The Paremeters of Engine	·
Manufacturer/Model	Cummins/B190 33
Rated Power	190hp/140kw
Fuel Type	Diesel
Displacement/Capacity	5900ml
Emission Standard	Euro 3
Cylinder	Straight/6/turbo/intercooling
Max. torque	640N.m
Velocity	2500rpm

Body Specs

General Settings Color		Customizable, electrophoresis
		painting is optional
	Winch Capacity	8 - 10 tons
	Lift Capacity	8 - 10 tons
	Extension Capacity	8 - 10 tons
	Underlift Capacity	8 tons (towing up to 16 tons)
	Platform Material	Q235B, 6 -8 mm thick
	Platform Type	Smooth or checkered
	Platform Dimension	8000-9000 x 2500 mm
	Wireless Remote Control	Equipped
	Subframe with Underlift	Equipped and match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	10 pcs
	Frame Lights with Lights Seat	8 pcs
System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 pcs
	Supporting Legs Cylinder	2 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	2 pcs (1 for lift and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Wheel Trolleys	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Bed Position Limit	1 set
	Frame and Lights Bolts	1 set
	Toolbox and Fence Brackets Square Tube	1 set
	Container Pins	4 pcs



Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com