

Dongfeng Double Deck Carrier Tilt And Slide Recovery Trucks 4x2 Euro

3


Our Product Introduction

for more products please visit us on hbitruck.com**Basic Information**

- Place of Origin: Hubei, China
- Brand Name: Dongfeng
- Minimum Order Quantity: 1
- Packaging Details: Nude
- Delivery Time: 15 days
- Supply Ability: 30 sets per month

**Product Specification**

- Product Name: Flatbed Wrecker Truck
- Dimensions (L X W X H) (mm): 9500x2550x2800mm
- Condition: New
- Main Winch: 4 Tons
- Underlift: 3 Sections, 5 Tons
- Underlift Tow Rating: 10 Tons
- Operation: Both Sides Manual
- Remote Control: Optional
- Warranty: 1 Year
- Bed Dimension: 7000x2500mm
- Highlight: **Dongfeng Tilt And Slide Recovery Trucks, Tilt And Slide Recovery Trucks 4x2, Double Deck tilt slide tow truck**

**More Images**

Product Description

4X2 EURO 3 dongfeng DOUBLE DECK CARRIER TILT AND SLIDE TRAY TOW TRUCK

Product Description

The 6 Ton Multi-Car Carrier features a 4,500 lb. upper deck structural capacity and a 8,800 lb. winch, while the lower deck has a 13,500 lb. structural capacity and a 8,800 lb. winch.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission.

With RHD, LHD.

With 4x2, 4x4.

Other special requirements you want.

Main Features

1. Additional 15.5' Auxiliary Deck
2. Available in 24' to 30' Lengths
3. 13,300 lbs. Load Rating
4. Optional Wireless Remote
5. Galvanized Subframe Option

Truck Specs

Dongfeng 6 Tons Double Bed Flatbed Wrecker Truck	
Overview	
Name	6 Tons Double Bed Flatbed Wrecker Truck
Dimension(LxWxH)	9500x2550x2830(mm)
Total Mass	16420Kg
Rated Payload	8000Kg
Kerb Weight	8420Kg
Passenger	3
Approach/Departure Angle	17/8
The Parameters of Chassis	
Manufacture/Model	Dongfeng
Driving Type	4*2 RHD/LHD
Wheel Base	5200 mm
Gearbox	Eight speed forward and one reverse, manual
Tyre	10.00R20
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1430/3050(mm)
The Parameters of Engine	
Manufacturer/Model	Cummins/B190 33
Rated Power	190hp/140kw
Fuel Type	Diesel
Displacement/Capacity	5900ml
Emission Standard	Euro 3
Cylinder	Straight/6/turbo/intercooling
Max. torque	640N.m
Velocity	2500rpm

Body Specs

6 Tons Double Deck Wrecker Body		
General Settings	Color	Customizable, electrophoresis painting is optional
	Winch Capacity	4 tons
	First Deck Lift Capacity	6 tons
	Second Deck Lift Capacity	3 tons
	Extension Capacity	6 tons
	Underlift Capacity	5 tons (tow up to 10 tons)
	Platform Material	Q235R, 3/4mm thick
	Platform Type	Checkered
	Platform Dimension	Around 7200 x 2400 mm for first deck, 4600 x 2200 mm for second deck
	Wireless Remote Control	Optional, extra USD500
	Subframe with Underlift	Match to chassis
Lights	Siren Long Lamp with Speaker	1 pcs
	Sides Lights	8 pcs

	Frame Lights with Lights Seat	6 pcs
Hydraulic System	Bed Extension Cylinder with Seat	1 pcs
	Bed Lift Cylinder with Seat	2 + 2 pcs
	Underlift lift Cylinder	2 pcs
	Underlift Extension Cylinder	1 pcs
	Hydraulic Winch	1 pcs
	Hydraulic Pump	1 pcs
	Hydraulic Multi Way Valve	1 pcs
	Hydraulic Balance Valve	3 pcs (2 for lifts and 1 for underlift)
	Hydraulic Hose	1 set
	Hydraulic Hose Containment	1 set
	Hose Sleeve	1 pcs
	Manual Control with Stainless Steel Seat	2 sets (on both sides)
	Oil Tank	1 pcs
Accessories	Wheel Dollies	2 pcs
	Straps	4 pcs
	Toolbox	2 pcs
	Wheel Grids	2 pcs
	L arms	2 pcs
	Fence	2 pcs
	Mudflap	2 pcs
	Lamp Frame	1 pcs
	Bed Position Limit	1 set
	Frame and Lights Bolts	1 set
	Tool Box and Fence Brackets Square Tube	1 set



ITRUCK
SPECIAL VEHICLES

Hubei iTruck Import and Export Trading Co., Ltd

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,
QINGSHAN DISTRICT, WUHAN