6 Tons Euro 5 Isuzu Tow Trucks Wheel Lift Light Duty Wrecker

Basic Information

- Place of Origin:
- Hubei, China

5 unit/month

- Brand Name:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Supply Ability:
- ISUZU 1
- Nude, covered with protection film
- 35 days
- bility:



Product Specification

- Product Name:
- Condition:
- Drive Type:
- Main Winch:
- Auxiliary Winch:
- Underlift:
- Boom:
- Remote Control:
- Warranty:Highlight:
- Integrated Wrecker Truck New 4x2 Driving 6 Tons, 1 Pcs Optional
- G70, 2 Sections
- G70, 2 Sections
- Optional
- 2 Year
 - 6 Tons Isuzu Tow Trucks, Euro 5 Isuzu Tow Trucks, 6 Tons Light Duty Wrecker



Product Description

6 TONS EURO 5 ISUZU TOW TRUCK WHEEL LIFT LIGHT DUTY INTERGRATED WRECKER

Product Description

The light duty medium duty integrated series have different capacities from 3 tons to 10 tons.

The 6 ton Integrated wrecker body with a 13,500 lb. rated winch and underlift. A modern, modular steel body that is maximized for available storage and deck space. Optional aluminum body available.

The truck brand options also available with ISUZU, Dongfeng, HOWO, JAC, FOTON, JMC, FAW, SHACMAN, IVECO, etc. With Euro 2, Euro 3, Euro 5, Euro 6 emission. With RHD, LHD. With 4x2, 4x4, 6x4, 6x6, 8x4, 8x8. Other special requirements you want.

Main Features

- 1. 6 Tons / 13,500 lbs. Planetary Winch, 1 Pcs
- 2. 6 Tons / 13,500 lbs. Underlift Capacity, Tow Rate At Least 12 Tons / 26,600 lbs.
- 3. Optional Remote Control
- 4. Sides Tool Boxes

Truck Specs

ISUZU 6 Tons Integrated						
Overview						
Name	ISUZU 6 Tons Wrecker Tow Truck					
Dimension (LxWxH)	6990x1940x2280(mm)					
Total Mass	8550Kg					
Rated Payload	5000Kg					
Kerb Weight	3550Kg					
Passenger	3					
Approach/Departure Angle	24/16					
The Parameters of Chassis						
Manufacture/Model	ISUZU					
Driving Type	4*2 left hand drive					
Wheel Base	3815 mm					
Gearbox	ISUZU MSB, five speed forward and one reverse,					
	manual					
Front/Rear Track	1377,1425(mm)					
Tyre	700R16					
The Number of Tyre	6+1(spare tyre)					
Front/Rear Suspension						
The Parameters of Engine						
Manufacturer/Model	ISUZU/4KH1CN5HS					
Rated Power	130hp/96kw					
Fuel Type	Diesel oil					
Displacement/Capacity	2999ml					
Emission Standard	Euro 5					
Cylinder	Straight/4					
Max. torque	290N.m					
Manufacturer/Model	ISUZU/4KH1CN5HS					

Body Specs

S.N.	Item	Unit	Quantity	Remarks
1	Boom	Stage	2	
2	Wheel Lift	Stage	2	
3	Boom Extension Cylinder	pcs	1	
4	Boom Lift Cylinder	pcs	2	
5	Wheel Lift Extension Cylinder	pcs	1	
6	Wheel Lift Tilt Cylinder	pcs	1	
7	Multi Way Valve	pcs	1	
3	Balance Valve	pcs	1	For boom lift
9	Pump	pcs	1	
10	Winch	pcs	1	6 tons
11	Hose	set	1	
12	Remote Control	set	1	Optional, extra USD500

13	Manual Control	side	2	
14	Toolbox	side	2	
15	Trolleys	pcs	2	Large trolley is optional, aluminum trolley is extra USD1000, steel trolley is extra USD800
16	Wheel Grids	pcs	2	Auto loader is optional, extra USD500
17	L Arms	pcs	2	
18	Forks	pcs	2	
19	Forks Holder	pcs	2	
20	Binding Strips	pcs	4	
21	Lights	set	1	



		ruck Import and Expor	t Trading Co., Ltd		
O	0086 19947597881	alex@hbitruck.com	hbitruck.com		
ROOM B1084 FL	ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN				