Hubei

ISUZU

QL1070A6HAY

nude with waxing

30-35 working days

50 units per month

Diesel Powered 2 ton crane truck

ccc

1

27200

Diesel Powered Commercial 2 Ton Truck Mounted Crane With Hydraulic Boom

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T, Western Union
- Supply Ability:



Product Specification

Highlight:	Diesel Powered Truck Mounted Crane, Hydraulic Boom Truck Mounted Crane,
Crane Brand:	XCMG
Crane Model:	SQS42
 Working Radius: 	8 M
 Lifting Height: 	9 M
• Wheelbase:	3360 Mm
 Support Leg: 	2
Crane Type:	Straight Arm
Crane Loading:	2 Tons
Chassis:	ISUZU
• Item Name:	Crane Truck



More Images



Product Description

ISUZU NPR 100P 98hp Engine 2 tons XCMG Straight arm truck mounted crane

The official name of the truck mounted crane is the truck mounted crane transport vehicle, which is a device that uses hydraulic lifting and telescopic systems to lift, rotate, and hoist goods. It is usually assembled on cargo trucks. It is widely used for the hoisting and transportation of infrastructure materials and other equipment in municipal construction, coal mining engineering, landscaping, and other fields.

Truck mounted crane is a type of transportation vehicle that combines a truck mounted crane and a chassis. It is composed of a crane arm, a turntable, a frame, legs, and other parts. The mechanical action of the crane is achieved through the actions of mechanisms such as amplitude, expansion, rotation, and hoisting, and the lifting operation is achieved through the combination of different actions.

Applicable working conditions: In traditional areas of Dongfeng, high-density goods such as iron powder and iron ore are loaded and transported, suitable for poor road conditions such as mountainous roads and construction site roads.

Main Technical specification


Overview			
Name	2 tons Isuzu Crane Truck		
Dimension(LxWxH)	5990x2200x2750 mm		
Total Mass	6350 kg		
Rated Payload	3000 kg		
Kerb Weight	3350 kg		
Passenger	3		
Approach/Departure Angle	23°/13 °		
The Parameters of Chassis	•		
Manufacture/Model	QL1070A6HAY		
Driving Type	4x2		
Wheel Base	3360 mm		
Gearbox	MSB5		
Front/Rear Track	1640/1655 mm		
Tyre model	7.00R16		
The Number of Tyre	6+1 (spare tyre)		
Front/Rear Suspension	1120/2095 mm		
Axles Loading	Front Man 2 T Rear Man 4 T		
Oil Tank	200L Iron		
The Parameters of Engine			
Manufacturer/Model	ISUZU/ 4KH1CN5LS		
Rated Power	72kw/98hp		
Fuel Type	Diesel oil		
Displacement/Capacity	2999 ml		
Emission Standard	Eu 5		
Cylinder	4		
Max. Torque/ speed	220N.m/ 1700rpm		
Velocity	3400 rpm		
The Parameters of Equipment			
Color/Logo	Customized		
Rear bucket	3500x2000x500 mm		
Dump function	Yes		
Crane	Xcmg 2 tons straight arm, SQS42		

XCMG 2 tons straight arm crane specifications

Model	SQS42 (2 tons, 3 arms)
Max loading weight	2,000 kg
Max torque	42 kN.m
Max outreach	8 m
Max lifting height	9 m
Oil tank capacity	25 L
Max pressure of hydraulic system	16 mpa
Recommended pump capacity	20 L/min
Installation space	850 mm
Slewing angle	360 °
Crane weight	950 kg
Stabilizer spread	1874-3024 mm



ISUZU 100P Crane Truck Picture



XCMG 2 tons straight arm crane specifications



Crane Truck Working Stock



Crane Truck Working Working



Export

