4x2 Japanese ISUZU 600P Garbage Compactor Truck With 5 Cbm Volume

Basic Information

Place of Origin: HubeiBrand Name: ISUZUCertification: ccc

Model Number: QL1070A5HAY

Minimum Order Quantity: 1

• Price: 29800\$

Packaging Details: nude with waxing
Delivery Time: 30-35 working days
Payment Terms: Western Union, T/T, L/C
Supply Ability: 50 units per month



Product Specification

Brand Name: ISUZU Garbage TruckVolume: 4000 To 5000 Liters

Chassis Model: ISUZUEngine: 4KH1CN5HS

• Wheelbase: 3360 Mm

Contorl: Electric And Hydraulic

Drive Model: 4x2
Tire: 7.00R15
Transmission: MSB5
Emission Standard: Eu 5 To Eu 6

Highlight: 4x2 garbage compactor truck,

Japanese ISUZU garbage compactor truck,

5 cbm garbage compactor truck



More Images







Product Description

4x2 Japanese ISUZU 600P garbage compactor truck with 5 cbm volume

Garbage trucks are mainly used for collecting, loading, and transporting household waste, and can compress and crush the loaded garbage to increase its density and reduce its volume, greatly improving the efficiency of garbage collection and transportation. The new garbage truck has the characteristics of reliable quality, low failure rate, easy maintenance, and low operating costs.

Garbage trucks can be further classified into various types based on their collection methods, including but not limited to:

Compressed garbage truck: using a mechanical, electrical, hydraulic linkage control system, computer control, and manual operation system, garbage is poured, crushed, or flattened through devices such as fillers and shovels, and garbage is squeezed into the compartment, compacted, and pushed out.

Self dumping garbage truck: equipped with a hydraulic system that can tilt the carriage to a certain angle and dump the garbage on its own.

Swing arm garbage truck: composed of chassis, garbage bin (hopper), swing arm deceleration buffer oil cylinder, etc. Its characteristic is that the garbage bin can be separated from the vehicle body, realizing the joint use of one vehicle and multiple garbage bins.

Sealed garbage truck: widely used for urban street garbage treatment, with sealed self dumping function, hydraulic operation, and convenient dumping of garbage.

Hanging bucket self loading and unloading garbage truck: using a chain and hydraulic cylinder linkage device to achieve semi lifting and flipping of garbage, automatically collecting garbage from multiple garbage bins into the carriage, and self dumping.

These different types of garbage trucks each have their own unique advantages and application scenarios, which can meet the garbage treatment needs in different environments and are important tools for maintaining urban hygiene and appearance

Main Technical specification

Overview	
Name	5 cbm ISUZU Garbage Compactor
	Truck
Dimension(LxWxH)	5999x2250x2650 mm
Total Mass	7300 kg
Rated Payload	4250 kg
Kerb Weight	3100 kg
Passenger	3
Approach/Departure Angle	17°/9 °
The Parameters of Chassis	
Manufacture/Model	ISUZU /4KH1CN5HS
Driving Type	4x2
Wheel Base	3360 mm
Gearbox	MSB5
Front/Rear Track	1676/1620 mm
Tyre model	7.00R15
The Number of Tyre	6+1 (spare tyre)
Front/Rear Suspension	1430/2280 mm
The Parameters of Engine	·
Manufacturer/Model	4KH1CN5HS
Rated Power	96kw/130hp
Fuel Type	Diesel oil
Displacement/Capacity	2982 ml
Emission Standard	Eu 5
Cylinder	4
Max. Torque/ speed	290 N.m/ 1500rpm
Velocity	3400 rpm
The Parameters of Equipment	
Color/Logo	Customized
Volume of Tank	5,000 liters
Function	Delivery life use waste garbage
Compressor and filling cycle time	25-30 s
Loading cycle time	17-25 s
Discharge cycle time	30-45 s

Compressor density	0.6-0.8 kg/m ³
Rear loading device	Flip board/triangulation/swinging arm
Others	High strength Q345 manganese steel ,steel plate thickness bottom 5mm, side 4mm, tail bilateral sewage tank, manual control. Electric operation and cab control. Rear loading plastic, hopper and swing arm bucket

DONGFNEG Garbage Compacotr Truck Picture











Garbage Compactor Truck Working Stock







Export













Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN