

8 TONS ISUZU 700P 190hp diesel engine TRUCK REFRIGERATOR REFRIGERATED VEHICLE

Our Product Introduction

for more products please visit us on hbitruck.com

Basic Information

- Place of Origin: Hubei
- Brand Name: ISUZU
- Certification: ccc
- Minimum Order Quantity: 1
- Packaging Details: nude with waxing
- Delivery Time: 15 working days
- Payment Terms: L/C, T/T, D/P, Western Union
- Supply Ability: 50 units per month



Product Specification

- Name: Refrigerator Van Truck
- Drive Model: 4x2
- Box Dimension: 6000x2200x2200 Mm
- Wheelbase: 4500 Mm
- Loading Capacity: 8 Tons
- Lowest Temperature: -15 Cent Degree
- Tire: 235/75R17.5
- Transmission: 6/1
- Power Steer: Yes
- Air Condition: Yes
- Highlight: **REFRIGERATED VEHICLE TRUCK
REFRIGERATOR
, 8 TONS TRUCK REFRIGERATOR,
190hp diesel engine TRUCK REFRIGERATOR**



More Images



Product Description

8 TONS ISUZU 700P 190hp diesel engine TRUCK REFRIGERATOR REFRIGERATED VEHICLE

Refrigerated truck

A refrigerated truck is a closed box type transport vehicle used to transport frozen or fresh goods. It is a specialized refrigerated transport vehicle equipped with a refrigeration unit and a polyurethane insulated compartment. It is commonly used to transport frozen food (refrigerated truck), dairy products (dairy transport truck), vegetables and fruits (fresh goods transport truck), vaccines and drugs (vaccine transport truck), etc.

Structure

A refrigerated truck is composed of the walking part of a dedicated vehicle chassis, as well as insulation and thermal insulation compartment (usually made of polyurethane material, fiberglass, color steel plate, stainless steel, etc.), refrigeration unit, temperature recorder for refrigerated trucks inside the compartment, and other components. For vehicles with special requirements, such as meat hook trucks, optional accessories such as meat hooks, waist guards, aluminum alloy guide rails, ventilation ducts, etc. can be installed.

Manufacturing Technology of Refrigerated Carriage Body

1. The "sandwich" panel adhesive type assembled in pieces is currently used by large refrigerated truck manufacturers in China, and the refrigerated trucks produced using this technology have high thermal insulation performance.
2. Injection foam type assembled in sections.
3. The overall skeleton is injected with foam.
4. Vacuum adsorption adhesive

Classification of refrigeration units:

Refrigeration units are divided into non independent refrigeration units and independent refrigeration units. Domestic and imported units, etc. Most car models use external refrigeration units, while a few micro refrigerated trucks use internal refrigeration units. For refrigerated trucks with lower temperature requirements, a built-in cold plate (equivalent to an evaporator) can be used in the compartment.

Classified by chassis carrying capacity: micro refrigerated truck, small refrigerated truck, medium refrigerated truck, large refrigerated truck

Classified by carriage type: bread refrigerated truck, box refrigerated truck, semi-trailer refrigerated truck

Important equipment

Refrigerated truck refrigeration unit

Refrigerated truck refrigeration unit: an important equipment that provides a continuous supply of "cold" for refrigerated truck containers. It is usually installed at the top of the front of the container and has an air conditioning like appearance, but has stronger cooling capacity than air conditioners of the same volume.

Refrigeration units are generally divided into two types: independent units and non independent units. The difference is that independent units rely entirely on another unit to generate electricity and maintain operation, while non independent units rely entirely on the engine operation of the entire vehicle to drive the cooling work of the unit.

Selection of refrigeration units for refrigerated trucks.

Generally, different power refrigeration units are selected based on the volume of the refrigerated compartment and the temperature requirements of the transported goods.

Main Technical specification

8 Tons ISUZU Flatbed Wrecker Truck	
Overview	
Name	8 Tons ISUZU Flatbed Wrecker Truck
Dimension(LxWxH)	7995x2450x3580(mm)
Total Mass	15500 Kg
Rated Payload	8000 Kg
Kerb Weight	7500 Kg
Passenger	3
Approach/Departure Angle	18/10

The Parameters of Chassis	
Manufacture/Model	ISUZU/QL1100A8MAY
Driving Type	4*2 left hand drive
Wheel Base	4475 mm
Gearbox	MLD-6Q, six speed forward and one reverse, manual
Tyre	235/75R17.5
The Number of Tyre	6+1(spare tyre)
Axle	Front 4 tons and rear 7 tons
Leaf Spring Number	8/10+6
AC,Power Steer,ABS,Air Brake,Tilt Cab	Equipped
The Parameters of Engine	
Manufacturer/Model	ISUZU/4HK1-TC51
Rated Power	190hp/141kw
Fuel Type	Diesel oil
Displacement/Capacity	5193ml
Emission Standard	Euro 5
Cylinder	Straight/4/turbo charge/intercooling/high pressure common rail
Max. torque	510N.m
Velocity	2600rpm
The Parameters of Box	
Color/LOGO	Customizable
Box Dimension	6080x2300x2300(mm)
Material	Sandwiched PUF with Fiberglass
Thickness	8 cm
Floor	Checkered aluminum
Skeleton	Aluminum
Doorframe and locks	Stainless Steel
Refrigerator Unit	Thermo King refrigerator unit, SV600, -15 degree

8T ISUZU Refrigerator Van Truck Picture



ITRUCK
SPECIAL SERVICES

Hubei iTruck Import and Export Trading Co., Ltd

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,
QINGSHAN DISTRICT, WUHAN