10 Tons 15 TONS 220HP CUMMINS ENGINE FOTON REFRIGERATOR TRUCKS EURO 3 REFRIGERATED TRUCK DIVISION

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Minimum Order Quantity:
- Packaging Details: nu
- Delivery Time:
- Payment Terms:
- Supply Ability:
- nude with waxing 15 working days L/C, T/T, D/P, Western Union 50 units per month

Refrigerator Van Truck

Hubei

Foton

CCC

1



Product Specification

Name:Drive Model:

• Tire:

Box Dimension:Wheelbase:

· Loading Capacity:

Transmission:Power Steer:

• Air Condition:

• Highlight:

• Lowest Temperature:

- 4x2 7600x2450x2500 Mm 5800 Mm 15 Tons -15 Cent Degree 10.00R20 8/1
- Yes

Yes

220HP REFRIGERATOR TRUCKS, EURO 3 REFRIGERATOR TRUCKS, 15 TONS REFRIGERATOR TRUCKS



More Images



Product Description

15 TONS 220HP CUMMINS ENGINE FOTON REFRIGERATOR TRUCKS EURO 3 REFRIGERATED TRUCK DIVISION Refrigerated truck

A refrigerated truck is a closed box type transport vehicle used to transport frozen or fresh goods. It is a specialized refrigerated transport vehicle equipped with a refrigeration unit and a polyurethane insulated compartment. It is commonly used to transport frozen food (refrigerated truck), dairy products (dairy transport truck), vegetables and fruits (fresh goods transport truck), vaccines and drugs (vaccine transport truck), etc.

Structure

A refrigerated truck is composed of the walking part of a dedicated vehicle chassis, as well as insulation and thermal insulation compartment (usually made of polyurethane material, fiberglass, color steel plate, stainless steel, etc.), refrigeration unit, temperature recorder for refrigerated trucks inside the compartment, and other components. For vehicles with special requirements, such as meat hook trucks, optional accessories such as meat hooks, waist guards, aluminum alloy guide rails, ventilation ducts, etc. can be installed.

Manufacturing Technology of Refrigerated Carriage Body

1. The "sandwich" panel adhesive type assembled in pieces is currently used by large refrigerated truck manufacturers in China, and the refrigerated trucks produced using this technology have high thermal insulation performance.

- 2. Injection foam type assembled in sections.
- 3. The overall skeleton is injected with foam.
- 4. Vacuum adsorption adhesive

Classification of refrigeration units:

Refrigeration units are divided into non independent refrigeration units and independent refrigeration units. Domestic and imported units, etc. Most car models use external refrigeration units, while a few micro refrigerated trucks use internal refrigeration units. For refrigerated trucks with lower temperature requirements, a built-in cold plate (equivalent to an evaporator) can be used in the compartment.

Classified by chassis carrying capacity: micro refrigerated truck, small refrigerated truck, medium refrigerated truck, large refrigerated truck

Classified by carriage type: bread refrigerated truck, box refrigerated truck, semi-trailer refrigerated truck Important equipment

Refrigerated truck refrigeration unit

Refrigerated truck refrigeration unit: an important equipment that provides a continuous supply of "cold" for refrigerated truck containers. It is usually installed at the top of the front of the container and has an air conditioning like appearance, but has stronger cooling capacity than air conditioners of the same volume.

Refrigeration units are generally divided into two types: independent units and non independent units. The difference is that independent units rely entirely on another unit to generate electricity and maintain operation, while non independent units rely entirely on the engine operation of the entire vehicle to drive the cooling work of the unit. Selection of refrigeration units for refrigerated trucks.

Generally, different power refrigeration units are selected based on the volume of the refrigerated compartment and the temperature requirements of the transported goods.

Main Technical specification

10 Tons Foton Refrigerator Truck				
10 Tons Foton Refrigerator Truck				
8995x2600x3950 (mm)				
15510Kg				
10000Kg				
5510Kg				
3				

The Parameters of Chassis			
Manufacture/Model	Foton		
Driving Type	4*2 left/right hand drive		
Wheel Base	5150 mm		
Gearbox	FAST 8JS85T, eight speed forward and two		
Gealbox	reverse, manual		
Tyre	10.00R20		
The Number of Tyre	6+1(spare tyre)		
Axle Capacity	Front 4.2 tons and rear 9 tons		
Brake	Front disc and rear drum		
Fuel Tank	260L Aluminum		
AC, ABS, Air Brake	Equipped		
The Parameters of Engine			
Manufacturer/Model	Cummins/ISF4.5 210		
Rated Power	210hp		
Fuel Type	Diesel oil		
Displacement/Capacity	4460ml		
Emission Standard	Euro 3		
Cylinder	In-line/4/intercooling/turbo charge/Bosch common		
Oyinidei	rail/pressure direct injection		
Max. torque	760N.m		
Velocity	2300rpm		
The Parameters of Equipment			
Color/LOGO	Customizable		
Box Dimension	6600x2450x2500(mm)		
Material	Sandwiched PUF with Fiberglass		
Thickness	8 cm		
Floor	Checkered aluminum		
Skeleton	Aluminum		
Doorframe and locks	Stainless Steel		
Refrigerator Unit	Thermoking SV-600		

15T Foton Refrigerator Van Truck Picture



Hubei iTruck Import and Export Trading Co., Ltd				
٩	0086 19947597881	alex@hbitruck.com	lbitruck.com	
ROOM B1084 FL		NG A, BAOYE CENTER, NO. HAN DISTRICT, WUHAN	31ST, JIANSHE FIRST ROAD,	