

## 10 Tons 15 TONS 220HP CUMMINS ENGINE FOTON REFRIGERATOR TRUCKS EURO 3 REFRIGERATED TRUCK DIVISION

Our Product Introduction

for more products please visit us on [hbitruck.com](http://hbitruck.com)

### Basic Information

- Place of Origin: Hubei
- Brand Name: Foton
- Certification: ccc
- Minimum Order Quantity: 1
- Packaging Details: nude with waxing
- Delivery Time: 15 working days
- Payment Terms: L/C, T/T, D/P, Western Union
- Supply Ability: 50 units per month



### Product Specification

- Name: Refrigerator Van Truck
- Drive Model: 4x2
- Box Dimension: 7600x2450x2500 Mm
- Wheelbase: 5800 Mm
- Loading Capacity: 15 Tons
- Lowest Temperature: -15 Cent Degree
- Tire: 10.00R20
- Transmission: 8/1
- Power Steer: Yes
- Air Condition: Yes
- Highlight: 220HP REFRIGERATOR TRUCKS,  
EURO 3 REFRIGERATOR TRUCKS,  
15 TONS REFRIGERATOR TRUCKS



### More Images



## Product Description

### 15 TONS 220HP CUMMINS ENGINE FOTON REFRIGERATOR TRUCKS EURO 3 REFRIGERATED TRUCK DIVISION

#### Refrigerated truck

A refrigerated truck is a closed box type transport vehicle used to transport frozen or fresh goods. It is a specialized refrigerated transport vehicle equipped with a refrigeration unit and a polyurethane insulated compartment. It is commonly used to transport frozen food (refrigerated truck), dairy products (dairy transport truck), vegetables and fruits (fresh goods transport truck), vaccines and drugs (vaccine transport truck), etc.

#### Structure

A refrigerated truck is composed of the walking part of a dedicated vehicle chassis, as well as insulation and thermal insulation compartment (usually made of polyurethane material, fiberglass, color steel plate, stainless steel, etc.), refrigeration unit, temperature recorder for refrigerated trucks inside the compartment, and other components. For vehicles with special requirements, such as meat hook trucks, optional accessories such as meat hooks, waist guards, aluminum alloy guide rails, ventilation ducts, etc. can be installed.

#### Manufacturing Technology of Refrigerated Carriage Body

1. The "sandwich" panel adhesive type assembled in pieces is currently used by large refrigerated truck manufacturers in China, and the refrigerated trucks produced using this technology have high thermal insulation performance.
2. Injection foam type assembled in sections.
3. The overall skeleton is injected with foam.
4. Vacuum adsorption adhesive

#### Classification of refrigeration units:

Refrigeration units are divided into non independent refrigeration units and independent refrigeration units. Domestic and imported units, etc. Most car models use external refrigeration units, while a few micro refrigerated trucks use internal refrigeration units. For refrigerated trucks with lower temperature requirements, a built-in cold plate (equivalent to an evaporator) can be used in the compartment.

Classified by chassis carrying capacity: micro refrigerated truck, small refrigerated truck, medium refrigerated truck, large refrigerated truck

Classified by carriage type: bread refrigerated truck, box refrigerated truck, semi-trailer refrigerated truck

Important equipment

#### Refrigerated truck refrigeration unit

Refrigerated truck refrigeration unit: an important equipment that provides a continuous supply of "cold" for refrigerated truck containers. It is usually installed at the top of the front of the container and has an air conditioning like appearance, but has stronger cooling capacity than air conditioners of the same volume.

Refrigeration units are generally divided into two types: independent units and non independent units. The difference is that independent units rely entirely on another unit to generate electricity and maintain operation, while non independent units rely entirely on the engine operation of the entire vehicle to drive the cooling work of the unit.

Selection of refrigeration units for refrigerated trucks.

Generally, different power refrigeration units are selected based on the volume of the refrigerated compartment and the temperature requirements of the transported goods.

#### Main Technical specification

10 Tons Foton Refrigerator Truck	
Overview	
Name	10 Tons Foton Refrigerator Truck
Dimension (LxWxH)	8995x2600x3950 (mm)
Total Mass	15510Kg
Rated Payload	10000Kg
Kerb Weight	5510Kg
Passenger	3

<b>The Parameters of Chassis</b>	
Manufacture/Model	Foton
Driving Type	4*2 left/right hand drive
Wheel Base	5150 mm
Gearbox	FAST 8JS85T, eight speed forward and two reverse, manual
Tyre	10.00R20
The Number of Tyre	6+1 (spare tyre)
Axle Capacity	Front 4.2 tons and rear 9 tons
Brake	Front disc and rear drum
Fuel Tank	260L Aluminum
AC, ABS, Air Brake	Equipped
<b>The Parameters of Engine</b>	
Manufacturer/Model	Cummins/ISF4.5 210
Rated Power	210hp
Fuel Type	Diesel oil
Displacement/Capacity	4460ml
Emission Standard	Euro 3
Cylinder	In-line/4/intercooling/turbo charge/Bosch common rail/pressure direct injection
Max. torque	760N.m
Velocity	2300rpm
<b>The Parameters of Equipment</b>	
Color/LOGO	Customizable
Box Dimension	6600x2450x2500(mm)
Material	Sandwiched PUF with Fiberglass
Thickness	8 cm
Floor	Checkered aluminum
Skeleton	Aluminum
Doorframe and locks	Stainless Steel
Refrigerator Unit	Thermoking SV-600

**15T Foton Refrigerator Van Truck Picture**



**ITRUCK**  
SPECIAL VEHICLES

**Hubei iTruck Import and Export Trading Co., Ltd**

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM 8, 17TH FLOOR, BUILDING A, JIANGWAN INTERNATIONAL 2ND PHASE, GUTIAN ROAD NO. 19,  
QIAOKOU DISTRICT, WUHAN CITY, HUBEI PROVINCE