

## 3 TONS EURO 2 FORLAND LHD DIESEL REFRIGERATED TRUCK FOOD TRANSPORT REFRIGERATION TRUCK

Our Product Introduction

for more products please visit us on [hbitruck.com](http://hbitruck.com)

### Basic Information

- Place of Origin: Hubei
- Brand Name: Forland
- Certification: ccc
- Minimum Order Quantity: 1
- Price: USD 12200/UNIT
- Packaging Details: nude with waxing
- Delivery Time: 15 working days
- Payment Terms: L/C, T/T, D/P, Western Union
- Supply Ability: 50 units per month



### Product Specification

- Name: Refrigerator Van Truck
- Drive Model: 4x2
- Box Dimension: 4100x2000x2000 Mm
- Wheelbase: 3360 Mm
- Loading Capacity: 3 Tons
- Lowest Temperature: -15 Cent Degree
- Tire: 6.50R16
- Transmission: 5/1
- Power Steer: Yes
- Air Condition: Yes
- Highlight: **FOOD TRANSPORT REFRIGERATED TRUCK,  
LHD DIESEL REFRIGERATED TRUCK,  
4 TONS EURO 2 REFRIGERATED TRUCK**



### More Images



## Product Description

### **3 TONS EURO 2 FORLAND LHD DIESEL REFRIGERATED TRUCK FOOD TRANSPORT REFRIGERATION TRUCK** **Refrigerated truck**

A refrigerated truck is a closed box type transport vehicle used to transport frozen or fresh goods. It is a specialized refrigerated transport vehicle equipped with a refrigeration unit and a polyurethane insulated compartment. It is commonly used to transport frozen food (refrigerated truck), dairy products (dairy transport truck), vegetables and fruits (fresh goods transport truck), vaccines and drugs (vaccine transport truck), etc.

#### **Structure**

A refrigerated truck is composed of the walking part of a dedicated vehicle chassis, as well as insulation and thermal insulation compartment (usually made of polyurethane material, fiberglass, color steel plate, stainless steel, etc.), refrigeration unit, temperature recorder for refrigerated trucks inside the compartment, and other components. For vehicles with special requirements, such as meat hook trucks, optional accessories such as meat hooks, waist guards, aluminum alloy guide rails, ventilation ducts, etc. can be installed.

#### **Manufacturing Technology of Refrigerated Carriage Body**

1. The "sandwich" panel adhesive type assembled in pieces is currently used by large refrigerated truck manufacturers in China, and the refrigerated trucks produced using this technology have high thermal insulation performance.
2. Injection foam type assembled in sections.
3. The overall skeleton is injected with foam.
4. Vacuum adsorption adhesive

#### **Classification of refrigeration units:**

Refrigeration units are divided into non independent refrigeration units and independent refrigeration units. Domestic and imported units, etc. Most car models use external refrigeration units, while a few micro refrigerated trucks use internal refrigeration units. For refrigerated trucks with lower temperature requirements, a built-in cold plate (equivalent to an evaporator) can be used in the compartment.

Classified by chassis carrying capacity: micro refrigerated truck, small refrigerated truck, medium refrigerated truck, large refrigerated truck

Classified by carriage type: bread refrigerated truck, box refrigerated truck, semi-trailer refrigerated truck

#### **Important equipment**

#### **Refrigerated truck refrigeration unit**

Refrigerated truck refrigeration unit: an important equipment that provides a continuous supply of "cold" for refrigerated truck containers. It is usually installed at the top of the front of the container and has an air conditioning like appearance, but has stronger cooling capacity than air conditioners of the same volume.

Refrigeration units are generally divided into two types: independent units and non independent units. The difference is that independent units rely entirely on another unit to generate electricity and maintain operation, while non independent units rely entirely on the engine operation of the entire vehicle to drive the cooling work of the unit.

Selection of refrigeration units for refrigerated trucks.

Generally, different power refrigeration units are selected based on the volume of the refrigerated compartment and the temperature requirements of the transported goods.

### **Main specification :**

<b>Complete Vehicle Parameter</b>	
Vehicle	FORLAND refrigerated truck
Overall dimension (mm)	5900 × 2010 × 2900
Refrigerator box size (mm)	4000 × 1850 × 1800
Gross vehicle weight (kg)	Appro × 6925
Net weight (kg)	Appro × 3180
Loading (kg)	Appro × 3550

Wheel base (mm)	3360
Max speed (Km/h)	95
<b>FORLAND Truck Chassis Parameter</b>	
Cabin	Single row cabin, power steering , 2 passengers, left hand drive
Drive form	4x2
Engine	Brand: QUANCHAI Engine power: 61HP Fuel type: diesel. Displacement: 2270ml Emission standard : Euro 2
Transmission	5 forward,1 reverse, manual operated
Tire model	6.50R16
No.of tire	6+1 pcs
<b>Refrigerated Van Parameter</b>	
Configuration	<ol style="list-style-type: none"> <li>1. Refrigerated box inside and outside wall material are FRP.</li> <li>2. Intermediate insulation material is polyurethane, thickness 80mm.</li> <li>3. Equipped with China brand refrigeration unit, the lowest temperature -15°C.</li> <li>4. Box body inside floor is non-slip pattern plate</li> <li>5. Door frame and door lock material are stainless steel.</li> <li>6. The box body is aluminum profile hemming.</li> <li>7. Refrigerator box roof is sealed, rear open double doors.</li> </ol>

**Forland Refrigerator Van Truck Picture**





**ITRUCK**  
SPECIAL VEHICLES

**Hubei iTruck Import and Export Trading Co., Ltd**

 0086 19947597881

 alex@hbitruck.com

 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,  
QINGSHAN DISTRICT, WUHAN