4X2 ISUZU 3 SIDES P5 LED DISPLAY TRUCK ADVERTISING TRUCK FOR PROMOTION

# Product Description

### 4X2 ISUZU 3 SIDES P5 LED DISPLAY TRUCK ADVERTISING TRUCK FOR PROMOTION

The composition of the LED advertising vehicle:

1. LED advertising truck compartment: The compartment is a rectangular square frame structure, the interior of the compartment is aluminum checkered plate, installed with lighting, and the front face and rear door are equipped with shutters and exhaust fans. The cabin is equipped with: 2-4 speakers, a power amplifier, a brand computer, and a set of control.

## Basic Information

Place of Origin: Hubei
Brand Name: ISUZU
Certification: ccc
Minimum Order Quantity: 1

Packaging Details: nude with waxing
 Delivery Time: 30-35 working days
 Payment Terms: T/T, , L/C, Western Union
 Supply Ability: 50 units per month



#### **Product Specification**

Name: LED Advertising Truck

• Wheelbase: 3300 Mm • Cabin: Single Cab 7.00R16 • Tire: 4KH1CN5LS . Engine: Screen Pixel: P5/P4/P3 1/2/3 · Screen Sides: 15kW . Generator: Included • Computer: Amplifier: Included 4 Pcs • Speakers:

• Floor: Alumunum Checkered Plate

Hydrulic Lift: OptionalHydraulic Stage: Optional

• Highlight: 3 SIDES LED DISPLAY TRUCK,



# More Images











actual requirements of customers, and it can be done on one side to three sides.

- 3. Lifting system(optional): The LED screen can be lifted by two hydraulic cylinders. The lifting height is 1.5 or 1.2 meters, so that the audience behind can clearly see the LED screen.
- 4. Power: The car comes with a high-power ultra-quiet diesel generator, which can be used independently without the support of the power grid and is not limited by the power supply. It is also equipped with a switching distribution box, which can directly use the grid power supply when there is a power supply.
- 5. Hydraulic outrigger: It is a supporting mechanism installed on the vehicle frame or sub-frame. The whole vehicle is supported by four hydraulic outriggers, so that the whole LED advertising vehicle forms a settlement-free one. The LED screen can be used normally even in the case of windy and uneven ground.
- 6. Advertising light box (optional): The advertising light box is equipped with an intelligent digital computer to switch pictures, 2-6 pictures are automatically switched, and the exterior is equipped with tempered high transparent glass. The top of the light box can be used as a monochrome LED advertising screen.

Main Technical specification

Main Technical Specification	
ISUZU P5 LED Truck	
Overview	
Name	ISUZU P5 LED Truck
Dimension (LxWxH)	5995x2190x3050(mm)
Total Mass	4495 Kg
Kerb Weight	4300 Kg
Passenger	3
Appr/Dep Angle	19/19
The Parameters of Chassis	
Manufacture/Model	ISUZU
Driving Type	4*2 left hand drive
Wheel Base	3360 mm
Gearbox	ISUZU MSB, five speed forward and one reverse, manual
Front/Rear Track	1377,1425(mm)
Tyre	700R16
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1015/1620(mm)
The Parameters of Engine	
Manufacturer/Model	ISUZU/4KH1CN5LS
Rated Power	98hp/72kw
Fuel Type	Diesel oil
Displacement/Capacity	2999ml
Emission Standard	Euro 4/5
Cylinder	Straight/4
Max. torque	220N.m
The Parameters of Equipment	
Type of Screen	Three sides full color P5 screens
LED Screen Size (L*H)	3840*1760=6.75 (left & right),
	1280*1440=1.84 (rear)
	1280*1440 (rear).
LED's Pixel Pitch	5 mm
Generator	15KW OUMA diesel generator
Computer	Huntkey
Amplifier	200W
Loudspeaker	30w waterproof column loudspeakers x 4
Hydraulic Stage	Equipped
Screen Hydraulic Lift	Equipped
Other Accessories	Wood ceiling, waterproof aluminum floors, safe and intelligent switch power distribution system, lighting, integrated electromechanical control, two skylight,30m grid powerline, and other tiny accessory facilities.

#### ISUZU LED Truck Picture



ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN