## 4X2 HOWO TRUCK MOBILE ADVERTISING LED DISPLAY BILLBOARD TRUCK

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- y: 1
  nude with waxing
  30-35 working days
  T/T, , L/C, Western Union
  50 units per month

LED Advertising Truck

Hubei

ccc

Sinotruck



## **Product Specification**

- Name:
- Wheelbase:
- Cabin:
- Tire:
- Screen Pixel:
- Screen Sides:
- Generator:
- Computer:
- Amplifier:
- Speakers:
- Floor:
- Hydrulic Lift:
- Hydraulic Stage:
- Highlight:
- 3300 Mm Single Cab 7.00R16 P5/P4/P3 1/2/3 15kW Included Included 4 Pcs Alumunum Checkered Plate Optional
- 4X2 LED DISPLAY BILLBOARD TRUCK, HOWO TRUCK LED DISPLAY BILLBOARD



Our Product Introduction

## **Product Description**

4X2 HOWO TRUCK MOBILE ADVERTISING LED DISPLAY BILLBOARD TRUCK

The composition of the LED advertising vehicle:

1. LED advertising truck compartment: The compartment is a rectangular square frame structure, the interior of the compartment is aluminum checkered plate, installed with lighting, and the front face and rear door are equipped with shutters and exhaust fans. The cabin is equipped with: 2-4 speakers, a power amplifier, a brand computer, and a set of control.

2. LED screen: The car adopts P5/P4/P3 high-resolution LED screen; the area of the LED screen can be customized according to the actual requirements of customers, and it can be done on one side to three sides.

3. Lifting system(optional): The LED screen can be lifted by two hydraulic cylinders. The lifting height is 1.5 or 1.2 meters, so that the audience behind can clearly see the LED screen.

4. Power: The car comes with a high-power ultra-quiet diesel generator, which can be used independently without the support of the power grid and is not limited by the power supply. It is also equipped with a switching distribution box, which can directly use the grid power supply when there is a power supply.

5. Hydraulic outrigger: It is a supporting mechanism installed on the vehicle frame or sub-frame. The whole vehicle is supported by four hydraulic outriggers, so that the whole LED advertising vehicle forms a settlement-free one. The LED screen can be used normally even in the case of windy and uneven ground.

6. Advertising light box (optional): The advertising light box is equipped with an intelligent digital computer to switch pictures, 2-6 pictures are automatically switched, and the exterior is equipped with tempered high transparent glass. The top of the light box can be used as a monochrome LED advertising screen.

Main Technical specification

HOWO LED Truck	
Overview	
Name	HOWO LED Truck
Dimension(LxWxH)	5995x2190x3050(mm)
Total Mass	4495 Kg
Kerb Weight	4300 Kg
Passenger	3
Appr/Dep Angle	19/19
The Parameters of Chassis	
Manufacture/Model	HOWO
Driving Type	4*2 left/right hand drive
Wheel Base	3360 mm
Gearbox	WLY6T100, six speed forward and one reverse,
	manual
Tyre	7.00R16
The Number of Tyre	6+1(spare tyre)
Leaf Spring Number	11/9+7H
AC, Power Steer, Air Brake, Electric	Equipped
Heater,Clutch Booster,etc.	Equipped
The Parameters of Engine	· · · ·
Manufacturer/Model	Yunnei/YN4102QBZL
Rated Power	116hp
Fuel Type	Diesel oil
Displacement/Capacity	3760ml
Emission Standard	Euro 3
Cylinder	In-line/4
Max. torque	290N.m
Velocity	3000rpm
The Parameters of Equipment	
Type of Screen	Two sides full color screens, rear monochrome
LED Screen Size (L*H)	3840*1728=6.62 (left & right), 1280*1440 (rear).
LED's Pixel Pitch	5/4/3 mm
Generator	15KW OUMA diesel generator
Computer	Huntkey
Amplifier	200W
Loudspeaker	30w waterproof column loudspeakers x 4
Hydraulic Stage	Equipped
Screen Hydraulic Lift	
Screen hydraulic Lill	Equipped



ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN