Hubei

JAC

CCC

# 4X2 JAC P5 ADVERTISING TRUCK FOR SALE SMALL TRUCK FOR ADVERTISING AND PUBLICITY

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

ity:	1
	nude with waxing
	30-35 working days
	T/T, , L/C, Western Unior
	50 units per month

LED Advertising Truck



# **Product Specification**

- Name:
- Wheelbase:
- Cabin:
- Tire:
- Screen Pixel:
- Screen Sides:
- Generator:
- Computer:
- Amplifier:
- Speakers:
- Floor:
- Hydrulic Lift:
- Hydraulic Stage:
- Highlight:

2700 Mm Single Cab 175R14LT P5/P4/P3 1/2/3 8/9 KW Included Included 2 Pcs Alumunum Checkered Plate Optional Optional



4X2 JAC P5 ADVERTISING TRUCK, SMALL JAC P5 ADVERTISING TRUCK,

### More Images





#### **Product Description**

4X2 JAC P5 ADVERTISING TRUCK FOR SALE SMALL TRUCK FOR ADVERTISING AND PUBLICITY

The composition of the LED advertising vehicle:

1. LED advertising truck compartment: The compartment is a rectangular square frame structure, the interior of the compartment is aluminum checkered plate, installed with lighting, and the front face and rear door are equipped with shutters and exhaust fans. The cabin is equipped with: 2-4 speakers, a power amplifier, a brand computer, and a set of control.

2. LED screen: The car adopts P5/P4/P3 high-resolution LED screen; the area of the LED screen can be customized according to the actual requirements of customers, and it can be done on one side to three sides.

3. Lifting system(optional): The LED screen can be lifted by two hydraulic cylinders. The lifting height is 1.5 or 1.2 meters, so that the audience behind can clearly see the LED screen.

4. Power: The car comes with a high-power ultra-quiet diesel generator, which can be used independently without the support of the power grid and is not limited by the power supply. It is also equipped with a switching distribution box, which can directly use the grid power supply when there is a power supply.

5. Hydraulic outrigger: It is a supporting mechanism installed on the vehicle frame or sub-frame. The whole vehicle is supported by four hydraulic outriggers, so that the whole LED advertising vehicle forms a settlement-free one. The LED screen can be used normally even in the case of windy and uneven ground.

6. Advertising light box (optional): The advertising light box is equipped with an intelligent digital computer to switch pictures, 2-6 pictures are automatically switched, and the exterior is equipped with tempered high transparent glass. The top of the light box can be used as a monochrome LED advertising screen. *LED promotion truck specs* 

JAC M1 LED Truck
5020x1720x2480(mm)
3760Kg
2000Kg
1760Kg
3
22/20
JAC
4*2 left hand drive
2700 mm
Five speed forward and one reverse, manual
1075/1195(mm)
175R14LT 8PR
6+1(spare tyre)
1075/1195(mm)
3/5
Equipped
Wuling/LJ465Q-2AE
61hp
Gasoline
1051ml
Euro 5
In-line/4

#### LED promotion truck body specs

LED Truck Equipment	
The Parameters of LED Screen	
LED Screen Size (L*H)	2304mm*1536mm=3.53 (left/right), 960mm*1280mm(rear).
Type of Screen	Three sides full color screens
LED's Pixel Pitch	5/4/3 mm
LED Modula Brand	TEEHO/ROYAL DISPLAY/GKGD
The Parameters of Control System	
Displayer	AOC,14 inch
Computer	Pentium dual-core, WIN, 2GB memory card, 120G hard disk, discrete graphics card, Huntkey case
Amplifier	200w, USB for wire and wireless microphone.

Speaker	2pcs, 30w, waterproof
Displaying software	Onbon
Supporting Format	Video(avi,wmv,mpg,rmvb,mov,vob,mp4,flv,etc.); audio(mp3,wav,wma,ogg,ape,acc,etc.);picture (bmp,jpg,png,gif,etc); word(txt,rtf,word,excel,etc.)
The Parameters of Power System	
Generator Brand	Yihu
Туре	Gasoline
Capacity	9kw
Specs	Single cylinder, watercooling, electric and manual start
Oil Consumption	328g/kw/h
Alternative Power Supply	External power plug and 30m wire
The Parameters of Power System	
Interior	Aluminum checkered plate wall, waterproof wooden floors
Lights	Eqipped
Ladder	Eqipped
Ventilation fans	Eqipped





Hubei iTruck Import and Export Trading Co., Ltd 

0086 19947597881

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN