

4X2 142HP DIESEL ENGINE PUBILICITY AND PROMOTION ADVERTISING TRUCK BILLBOARD TRUCK

Our Product Introduction

for more products please visit us on hbitruck.com

Basic Information

- Place of Origin: Hubei
- Brand Name: Dongfeng
- Certification: ccc
- Minimum Order Quantity: 1
- Packaging Details: nude with waxing
- Delivery Time: 30-35 working days
- Payment Terms: T/T, , L/C, Western Union
- Supply Ability: 50 units per month



Product Specification

- Name: LED Advertising Truck
- Wheelbase: 3800 Mm
- Cabin: Single Cab
- Tire: 7.50R16
- Screen Pixel: P5/P4/P3
- Screen Sides: 1/2/3
- Generator: 18kW
- Computer: Included
- Amplifier: Included
- Speakers: 4 Pcs
- Floor: Aluminum Checkered Plate
- Hydraulic Lift: Optional
- Hydraulic Stage: Optional
- Highlight: 4X2 DIESEL ENGINE TRUCK BILLBOARD, PUBILICITY DIESEL ENGINE TRUCK BILLBOARD



More Images



Product Description

4X2 142HP DIESEL ENGINE PUBLICITY AND PROMOTION ADVERTISING TRUCK BILLBOARD TRUCK

The composition of the LED advertising vehicle:

- 1. LED advertising truck compartment:** The compartment is a rectangular square frame structure, the interior of the compartment is aluminum checkered plate, installed with lighting, and the front face and rear door are equipped with shutters and exhaust fans. The cabin is equipped with: 2-4 speakers, a power amplifier, a brand computer, and a set of control.
- 2. LED screen:** The car adopts P5/P4/P3 high-resolution LED screen; the area of the LED screen can be customized according to the actual requirements of customers, and it can be done on one side to three sides.
- 3. Lifting system(optional):** The LED screen can be lifted by two hydraulic cylinders. The lifting height is 1.5 or 1.2 meters, so that the audience behind can clearly see the LED screen.
- 4. Power:** The car comes with a high-power ultra-quiet diesel generator, which can be used independently without the support of the power grid and is not limited by the power supply. It is also equipped with a switching distribution box, which can directly use the grid power supply when there is a power supply.
- 5. Hydraulic outrigger:** It is a supporting mechanism installed on the vehicle frame or sub-frame. The whole vehicle is supported by four hydraulic outriggers, so that the whole LED advertising vehicle forms a settlement-free one. The LED screen can be used normally even in the case of windy and uneven ground.
- 6. Advertising light box (optional):** The advertising light box is equipped with an intelligent digital computer to switch pictures, 2-6 pictures are automatically switched, and the exterior is equipped with tempered high transparent glass. The top of the light box can be used as a monochrome LED advertising screen.

LED Truck Specs

Large Dongfeng LED Truck	
Overview	
Name	Large Dongfeng LED Truck
Dimension (LxWxH)	6995x2450x3500(mm)
Total Mass	12500Kg
Rated Payload	8000Kg
Kerb Weight	4500Kg
Passenger	3
Approach/Departure Angle	20/12
The Parameters of Chassis	
Manufacture/Model	Dongfeng/EQ1125SJ8CDC
Driving Type	4*2 left hand drive
Wheel Base	3800 mm
Gearbox	Seven speed lever with six speed forward and one reverse, manual
Front/Rear Track	1903,1770/1640(mm)
Tyre	825R20
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1130/1810(mm)
Leaf Spring Number	8/10+7
AC,Power Window,Central Locking,Power Steer,etc.	Equipped
The Parameters of Engine	
Manufacturer/Model	Yunnei/D25TCIF1
Rated Power	150hp/110kW
Fuel Type	Diesel oil
Displacement/Capacity	2500ml
Emission Standard	Euro 6
Cylinder	Straight/4/turbo/electric common rail/HEGR+DOC+DPF+SCR+ASC
Max. torque	400N.m
Velocity	3000rpm

Main Technical specification

P5 LED Truck Body	
The Parameters of LED Screen	
LED Screen Size (L*H)	4480*1728 (left/right), 1280*1440 (rear).
Type of Screen	Three sides full color screens
LED's Pixel Pitch	5 mm
Spare P6 LED Modulas	5 pcs for free, 320mm x 160mm each pcs
LED Modula Brand	TEEHO/ROYAL DISPLAY/GKGD

The Parameters of Control System	
Displayer	AOC, 14 inch
Computer	Pentium dual-core, WIN, 2GB memory card, 120G hard disk, discrete graphics card, Huntkey case
Amplifier	200w, USB for wire and wireless microphone.
Speaker	4pcs, 30w, waterproof
Displaying software	Onbon
Supporting Format	Video(avi,wmv,mpg,rmvb,mov,vob,mp4,flv,etc.);audio(mp3,wav,wma,ogg,ape,acc,etc.);picture(bmp,jpg,png,gif,etc);word(txt,rtf,word,excel,etc.)
Live Telecast	Optional videoprocessor, camera, box, etc.
The Parameters of Power System	
Generator Brand	OUMA
Type	Diesel
Capacity	18kw
Noise Type	Silent low noise generator
Alternative Power Supply	External power plug and 30m wire
The Parameters of Others	
Screen Lift and Stage	Optional
Subframe	Equipped and match for crossbeam of customer's truck
Interior	Aluminum checkered plate floors, waterproof wooden ceiling
Lights	Equipped
Ladder	Equipped
Ventilation fans	Equipped
Skylights	Equipped

Dongfeng LED Truck Picture



ITRUCK
SPECIAL VEHICLES

Hubei iTruck Import and Export Trading Co., Ltd

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN