# 4x2 Japanese Sinotruck Howo Garbage Compacted Truck With 10 Cbm To 12 Cbm Volume

## **Basic Information**

• Place of Origin: Hubei

Brand Name: Sinotruck howo

Certification: ccc

Model Number: ZZ1167M4611W

Minimum Order Quantity: 1

• Price: 45800\$

Packaging Details: nude with waxing
Delivery Time: 30-35 working days
Payment Terms: Western Union, T/T, L/C
Supply Ability: 50 units per month



# **Product Specification**

Brand Name: Sinotruck Garbage TruckVolume: 10000 To 12000 Liters

Chassis Model: SinotruckEngine: WD615.62Wheelbase: 4600 Mm

Contorl: Electric And Hydraulic

Drive Model: 4x2
Tire: 12.00-20
Transmission: HW15710
Emission Standard: Eu 2

• Highlight: 4x2 garbage compacted truck,

12 cbm garbage compacted truck, 10 cbm garbage compacted truck



# More Images







#### **Product Description**

4x2 Sinotruck howo garbage compacted truck with 12 cbm volume

Garbage trucks are mainly used for collecting, loading, and transporting household waste, and can compress and crush the loaded garbage to increase its density and reduce its volume, greatly improving the efficiency of garbage collection and transportation. The new garbage truck has the characteristics of reliable quality, low failure rate, easy maintenance, and low operating costs.

Garbage trucks can be further classified into various types based on their collection methods, including but not limited to:

Compressed garbage truck: using a mechanical, electrical, hydraulic linkage control system, computer control, and manual operation system, garbage is poured, crushed, or flattened through devices such as fillers and shovels, and garbage is squeezed into the compartment, compacted, and pushed out.

Self dumping garbage truck: equipped with a hydraulic system that can tilt the carriage to a certain angle and dump the garbage on its own.

Swing arm garbage truck: composed of chassis, garbage bin (hopper), swing arm deceleration buffer oil cylinder, etc. Its characteristic is that the garbage bin can be separated from the vehicle body, realizing the joint use of one vehicle and multiple garbage bins.

Sealed garbage truck: widely used for urban street garbage treatment, with sealed self dumping function, hydraulic operation, and convenient dumping of garbage.

Hanging bucket self loading and unloading garbage truck: using a chain and hydraulic cylinder linkage device to achieve semi lifting and flipping of garbage, automatically collecting garbage from multiple garbage bins into the carriage, and self dumping.

These different types of garbage trucks each have their own unique advantages and application scenarios, which can meet the garbage treatment needs in different environments and are important tools for maintaining urban hygiene and appearance

### Main Technical specification

Overview	
Name	12 cbm Slnotruck Garbage Compactor Truck
Dimension(LxWxH)	8700x250x3450 mm
Total Mass	18000 kg
Rated Payload	7000 kg
Kerb Weight	1100 kg
Passenger	3
Approach/Departure Angle	15°/12 °
The Parameters of Chassis	·
Manufacture/Model	Sinotruck /ZZ1167M4611W
Driving Type	4x2
Wheel Base	4600 mm
Gearbox	HW15710
Front/Rear Track	1676/1620 mm
Tyre model	12.00-20
The Number of Tyre	6+1 (spare tyre)
Front/Rear Suspension	1430/2280 mm
The Parameters of Engine	·
Manufacturer/Model	WD615.62
Rated Power	196kw/266hp
Fuel Type	Diesel oil
Displacement/Capacity	9726 ml
Emission Standard	Eu 2
Cylinder	6
Max. Torque/ speed	1100 N.m/ 1100-1600 rpm
Velocity	2600 rpm
The Parameters of Equipment	
Color/Logo	Customized
Volume of Tank	12,000 liters
Function	Delivery life use waste garbage
Compressor and filling cycle time	25-30 s
Loading cycle time	17-25 s
Discharge cycle time	30-45 s

Compressor density	0.6-0.8 kg/m <sup>3</sup>
Rear loading device	Flip board/triangulation/swinging arm
Others	High strength Q345 manganese steel ,steel plate thickness bottom 5mm, side 4mm, tail bilateral sewage tank, manual control. Electric operation and cab control. Rear loading plastic, hopper and swing arm bucket





Garbage Compactor Truck Working Stock





Export













Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN