4X2 600P 120HP DIESEL ISUZU 5000 LITERS WATER TANK TRUCK CARBON STEEL TANK

Basic Information

Place of Origin: Hubei
Brand Name: ISUZU
Certification: ccc
Minimum Order Quantity: 1

Packaging Details: nude with waxingDelivery Time: 20-35 working days

• Payment Terms: L/C, T/T

• Supply Ability: 50 units per month



Product Specification

• Item: ISUZU Water Tank Truck

Material: Carbon Steel
Wheelbase: 3200 Mm
Tank Volume: 5 Cbm
Emission: Euro 5/6
Horse Power: 120hp

• Transmission: 5 Forward And 1 Reverse

Valve: 2 PcsWater Cannon: EquippedWarranty: 1 Year

• Highlight: 120HP DIESEL ISUZU WATER TANK TRUCK,

CARBON STEEL TANK WATER TANK TRUCK,

600P WATER TANK TRUCK



More Images







Product Description

4X2 600P 120HP DIESEL ISUZU 5000 LITERS WATER TANK TRUCK CARBON STEEL TANK

The watering truck is suitable for all kinds of road washing, trees, green belts, lawn greening, construction of roads, factories and mines, and high-altitude buildings. The watering truck can also be used as a water transpotation truck. The most common models are sanitation watering truck, multi-function watering truck and green watering truck.

Our company's products come standard with front spray (duck bill), back flush, rear spray, side spray, and rear-mounted working platform. The platform is equipped with a green water cannon (which can be rotated 360°, and can be adjusted to either a column or a mist shape). , it can be adjusted to flush, heavy rain, moderate rain, light rain, drizzle), equipped with high-quality high-power special sprinkler pump (self-priming and self-draining, can pump water from river or pond to tank), power take-off, miscellaneous material filter screen, fire interface, self-flowing ball valve system, ball valve and filter screen are all national standard products, the main pipeline is thickened, the flange gasket and flange plate are thickened, and the large-diameter ball valve is used. The overall performance is excellent, safe and reliable, high efficiency, large flow, convenient maintenance and so on.

Water Tanker Specs

Overview	
Name	5000 Liters ISUZU Water Truck
Dimension(LxWxH)	5990x1960x2380(mm)
Total Mass	8050Kg
Rated Payload	5000Kg
Kerb Weight	3050Kg
Passenger	3
Approach/Departure Angle	19/15
The Parameters of Chassis	19/13
Manufacture/Model	ISUZU
Driving Type	4*2 left hand drive
Wheel Base	3360 mm
wrieer base	
Gearbox	ISUZU MSB, five speed forward and one reverse, manual
Front/Rear Track	1377,1425(mm)
Tyre	700R16
The Number of Tyre	6+1(spare tyre)
Front/Rear Suspension	1015/1620(mm)
Leaf Spring Number	3/3+2
The Paremeters of Engine	0/0+2
Manufacturer/Model	ISUZU
Rated Power	120hp
Fuel Type	Diesel oil
Displacement/Capacity	2999ml
Emission Standard	Euro 5
Cylinder	Straight/4
Max. torque	280N.m
Velocity	3400rpm
The Parameters of Equipment	0400ipiii
Color/Logo	Customizable
Material	4mm Carbon Steel
Volume of Tank	5,000 Liters
Water Pump	Equipped
Discharge Valve	1 pcs
Fire Fighting Joint	·
Manhole	1 pcs
** * *	1 pcs
Ladder	Equipped
Hoses	2 pcs, 3 meters
Water Cannon Water Sprinkler, Sprayer	1 pcs 6 pcs

Water tank truck image





Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN