2 Ton Diesel Fuel FOTON FORLAND Cold Room Van Freezer Refrigerated Truck

Basic Information

• Place of Origin: Hubei

Brand Name: FOTON FORLAND

Certification: CCCModel Number: BJ1050

Minimum Order Quantity:

Price: USD10600/unitPackaging Details: nude, with waxing

Delivery Time: 15 daysPayment Terms: L/C, T/T

Supply Ability: 50 units per month



Product Specification

• Name: Refrigerator Truck

Drive Model: 4x2

• Box Dimension: 3120x1650x1560 Mm

Wheelbase: 2600 Mm
Loading Capacity: 2tons
Lowest Temperature: -18 Degree
Tire: 6.00R15

• Transmission: 5 Forward, 1 Reverse

• Air Condition: Yes

Cooling Unit: CHINA BRAND

Highlight: 2 ton diesel fuel refrigerated truck,

2 Ton Refrigerated Truck



2 ton diesel fuel FOTON FORLAND cold room van freezer refrigerated truck.

Refrigerated truck

A refrigerated truck is a closed box type transport vehicle used to transport frozen or fresh goods. It is a specialized refrigerated transport vehicle equipped with a refrigeration unit and a polyurethane insulated compartment. It is commonly used to transport frozen food (refrigerated truck), dairy products (dairy transport truck), vegetables and fruits (fresh goods transport truck), vaccines and drugs (vaccine transport truck), etc.

structure

A refrigerated truck is composed of the walking part of a dedicated vehicle chassis, as well as insulation and thermal insulation compartment (usually made of polyurethane material, fiberglass, color steel plate, stainless steel, etc.), refrigeration unit, temperature recorder for refrigerated trucks inside the compartment, and other components. For vehicles with special requirements, such as meat hook trucks, optional accessories such as meat hooks, waist guards, aluminum alloy guide rails, ventilation ducts, etc. can be installed.

Manufacturing Technology of Refrigerated Carriage Body

- 1. The "sandwich" panel adhesive type assembled in pieces is currently used by large refrigerated truck manufacturers in China, and the refrigerated trucks produced using this technology have high thermal insulation performance.
- 2. Injection foam type assembled in sections.
- 3. The overall skeleton is injected with foam.
- 4. Vacuum adsorption adhesive

Classification of refrigeration units:

Refrigeration units are divided into non independent refrigeration units and independent refrigeration units. Domestic and imported units, etc. Most car models use external refrigeration units, while a few micro refrigerated trucks use internal refrigeration units. For refrigerated trucks with lower temperature requirements, a built-in cold plate (equivalent to an evaporator) can be used in the compartment.

Classified by chassis carrying capacity: micro refrigerated truck, small refrigerated truck, medium refrigerated truck, large refrigerated truck

Classified by carriage type: bread refrigerated truck, box refrigerated truck, semi-trailer refrigerated truck Important equipment

Refrigerated truck refrigeration unit

Refrigerated truck refrigeration unit: an important equipment that provides a continuous supply of "cold" for refrigerated truck containers. It is usually installed at the top of the front of the container and has an air conditioning like appearance, but has stronger cooling capacity than air conditioners of the same volume.

Refrigeration units are generally divided into two types: independent units and non independent units. The difference is that independent units rely entirely on another unit to generate electricity and maintain operation, while non independent units rely entirely on the engine operation of the entire vehicle to drive the cooling work of the unit. Selection of refrigeration units for refrigerated trucks.

Generally, different power refrigeration units are selected based on the volume of the refrigerated compartment and the temperature requirements of the transported goods.

Main Technical specification

Complete Vehicle Parameter		
Vehicle	FORLAND refrigerated truck	
Overall dimension (mm)	5050 × 1830 × 2550	
Refrigerator box size (mm)	3120 × 1650 × 1560	
Gross vehicle weight (kg)	Appro × 4495	
Net weight (kg)	Appro × 2495	
Loading (kg)	Appro × 2000	
Wheel base (mm)	2600	
Max speed (Km/h)	84	
FORLAND Truck Chassis Parameter		

Cabin	Single row cabin, power steering , A/C, 2 passengers, left hand drive	
Drive form	4×2	
Engine	Brand: QUANCHAI Engine power: 47HP Fuel type: diesel. Displacement: 2156cc Emission standard : Euro 2	
Transmission	5 forward,1 reverse, manual operated	
Tire model	6.00R15	
No.of tire	6+1pcs	
Refrigerated Van Parameter		
Configuration	1. Refrigerated box inside and outside wall material are FRP. 2. Intermediate insulation material is polyurethane, thickness 80mm. 3. Equipped with China brand refrigeration unit, the lowest temperature -15°C. 4. Box body inside floor is non-slip pattern plate 5. Door frame and door lock material are stainless steel. 6. The box body is aluminum profile hemming. 7. Refrigerator box roof is sealed, rear open double doors.	





Refrigerator Van Truck Workshop



Hubei iTruck Import and Export Trading Co., Ltd



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN