

New Euro 6 IVECO Turbo Daily Refrigerated Van Truck With Manual Transmission

Our Product Introduction

for more products please visit us on hbitruck.com

Basic Information

- Place of Origin: Hubei
- Brand Name: itruck
- Certification: CCC
- Model Number: NJ5046
- Minimum Order Quantity: 1
- Price: USD28200/unit
- Packaging Details: nude, with waxing
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 50 units per month



Product Specification

- Name: Refrigerated Truck
- Drive Model: 4x2
- Box Dimension: 3500x1980x1850 Mm
- Wheelbase: 3310 Mm
- Loading Capacity: 1.5tons
- Lowest Temperature: -18 Degree
- Tire: 195/75R16LT
- Transmission: 5 Forward, 1 Reverse
- Air Condition: Yes
- Cooling Unit: CHINA BRAND
- Highlight: Manual Transmission refrigerated van truck, IVECO Turbo Daily refrigerated van truck, Euro 6 IVECO refrigerated van truck



More Images



Product Description

New Euro 6 IVECO Turbo Daily refrigerated van truck with manual transmission.

Refrigerated truck

A refrigerated truck is a closed box type transport vehicle used to transport frozen or fresh goods. It is a specialized refrigerated transport vehicle equipped with a refrigeration unit and a polyurethane insulated compartment. It is commonly used to transport frozen food (refrigerated truck), dairy products (dairy transport truck), vegetables and fruits (fresh goods transport truck), vaccines and drugs (vaccine transport truck), etc.

structure

A refrigerated truck is composed of the walking part of a dedicated vehicle chassis, as well as insulation and thermal insulation compartment (usually made of polyurethane material, fiberglass, color steel plate, stainless steel, etc.), refrigeration unit, temperature recorder for refrigerated trucks inside the compartment, and other components. For vehicles with special requirements, such as meat hook trucks, optional accessories such as meat hooks, waist guards, aluminum alloy guide rails, ventilation ducts, etc. can be installed.

Manufacturing Technology of Refrigerated Carriage Body

1. The "sandwich" panel adhesive type assembled in pieces is currently used by large refrigerated truck manufacturers in China, and the refrigerated trucks produced using this technology have high thermal insulation performance.
2. Injection foam type assembled in sections.
3. The overall skeleton is injected with foam.
4. Vacuum adsorption adhesive

Classification of refrigeration units:

Refrigeration units are divided into non independent refrigeration units and independent refrigeration units. Domestic and imported units, etc. Most car models use external refrigeration units, while a few micro refrigerated trucks use internal refrigeration units. For refrigerated trucks with lower temperature requirements, a built-in cold plate (equivalent to an evaporator) can be used in the compartment.

Classified by chassis carrying capacity: micro refrigerated truck, small refrigerated truck, medium refrigerated truck, large refrigerated truck

Classified by carriage type: bread refrigerated truck, box refrigerated truck, semi-trailer refrigerated truck

Important equipment

Refrigerated truck refrigeration unit

Refrigerated truck refrigeration unit: an important equipment that provides a continuous supply of "cold" for refrigerated truck containers. It is usually installed at the top of the front of the container and has an air conditioning like appearance, but has stronger cooling capacity than air conditioners of the same volume.

Refrigeration units are generally divided into two types: independent units and non independent units. The difference is that independent units rely entirely on another unit to generate electricity and maintain operation, while non independent units rely entirely on the engine operation of the entire vehicle to drive the cooling work of the unit.

Selection of refrigeration units for refrigerated trucks.

Generally, different power refrigeration units are selected based on the volume of the refrigerated compartment and the temperature requirements of the transported goods.

Main Technical specification

Complete Vehicle Parameter	
Vehicle	IVECO refrigerated truck
Overall dimension (mm)	5990 × 2140 × 2910
Refrigerated box (mm)	3500 × 1980 × 1850
Gross vehicle weight (kg)	Appro × 4480
Net weight (kg)	Appro × 2855
Payload (kg)	Appro × 1495
Wheel base (mm)	3310
Max speed (Km/h)	120

IVECO Truck Chassis Parameter	
Condition	New
Cabin	Single row cabin,3 passengers, power steering, air conditioner, electric window, left hand drive
Drive type	4x2
Engine	Brand : IVECO Model : SOFIM8140.43S6 Engine power: 130hp Fuel type : diesel. Displacement : 2798ml Emission standard : Euro 6
Transmission	5 forward,1 rear, manual operated
Tire model	195/75R16LT
No.of tire	6pcs
Oil tank	70L
Others	ABS, front and rear disc brakes,140A generator
Refrigerated Box Parameter	
Condition	New
Standard configuration	<ol style="list-style-type: none"> 1. Refrigerated box inside and outside wall material are FRP. 2. Intermediate insulation material is polyurethane, thickness 80mm. 3. Equipped with China brand refrigeration unit, the lowest temperature -15°C. 4. Door frame and door lock material are stainless steel. 5. The box body is aluminum profile hemming. 6. Refrigerator box roof is sealed, rear open double doors.





Refrigerator Van Truck Workshop

ITRUCK
SPECIAL TRUCKS

Hubei iTruck Import and Export Trading Co., Ltd

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,
QINGSHAN DISTRICT, WUHAN