

10 TONS INTEGRATED WRECKER BODY FOR SALE TOW TRUCK UNDERLIFT

Our Product Introduction

 Place of Origin: 	Hubei, China
Brand Name:	iTruck
•	
Minimum Order Quantity:	1
• Price:	\$17,000.00/units
 Packaging Details: 	Nude, covered with film protection
 Delivery Time: 	60 days
 Supply Ability: 	5 sets per month



for more products please visit us on hbitruck.com

Product Specification

Basic Information

Product Name:	Integrated Wrecker Truck Body
 Transmission Type: 	Manual

Equipped

3 Sections

8 Tons, 2 Pcs

• Dimensions (L X W X H) Customs Made

(mm):

Condition:

- - New
- WheelBase: As Required
- Subframe:
- Main Winch:
- Underlift:
- Underlift Tow Rating:
- 20 Ton Both Sides Manual Operation:
- Optional Bemote Control:
 - 2 Year
- Warranty:



More Images



Product Description

10 TONS INTEGRATED WRECKER BODY FOR SALE TOW TRUCK UNDERLIFT

Product Description

- The medium duty integrated series have different capacities from 8 tons to 16 tons.
- ENGINEERED FOR STRENGTH AND DURABILITY

The 12 ton Integrated Medium Duty wrecker with a 22,200 lb. rated underlift and a modern, steel body that is maximized for available storage and deck space.

Main Features

Our Product Introduction

- 1. 8 Tons / 17,800 lbs. Planetary Winch, 2 Pcs. Total 16 Tons / 35,600 lbs.
- 2. 10 Tons / 22,200 lbs. Underlift Capacity, Tow Rate At Least 20 Tons / 44,500 lbs.
- 3. Spacious Tool Compartments
- 4. Multi-Positional Rear Jacks
- 5. Optional Remote Control
- 6. Available Low Profile Tow Bar

Specs

for more products please visit us on hbitruck.com	
products please visit us	ę
products please visit us	more
visit us	products
visit us on hbitruck.com	please
us on hbitruck.com	visit
on hbitruck.com	Sn
hbitruck.com	g
	hbitruck.com

16 Tons Wrecker Body Specs							
	Item	Content	Details	Unit			
1	Name	16 Tons Wrecker Body					
2	Winches	2×8 Tons Main Winches		Side puller (8 tons) is optional, extra USD2,000			
3	Underlift	Underlift	G70 material, 3 stage				
4	Boom	Boom	G70 material, 2 stage, hexagon				
5	Legs	Rear	Hydraulic rear supporting legs	Front support legs are optional. Extra USD1,500			
6	Frame	LED Lights Frame, full size					
7	Toolbox	On Both Sides	Carbon steel Q345R, with stainless steel handles	Aluminum tool box optional, extra USD3,000			
8	Hook-Ups	Air and Electrical Hook- Ups	12V or 24V				
9	Control	Remote Wireless Control	Optional button remote control. Extra USD1,000	Optional Joystick type remote control, English Display Extra USD3,000			
		Hand Manual Control	On Lift and Right Sides, English Indication				
10	Hydraulic Parts	Hydraulic Pump					
	İ	Hydraulic Hose					
		Hydraulic Connector					
		Valves	Italy Hydrocontrol				
		Cylinders					
11	Attachments	5 Sets of Forks	4 sets for axle, 1 set for suspension				
		U shape tyres holder	1 set				
		Safety Chains	2 pcs				
12	Painting and Indication	Electrophoresis Painting	Normal primer and surface painting	Subframe with boom and underlift EP painting extra USD1,500			
		Surface Painting	Epoxy Resin				
		Indication	English Indication and Marks				
	cifications						
1	Underlift	Retracted Lifting Capacity		kg			
		Retracted Length	1505	mm			
		Extended Lifting Capacity		kg			
		Extended Length	2760	mm			
		Undelift Tilt	-10				
		Towing Capacity	20-30	ton			
2	Boom	Retracted Lifting Capacity (45°)	10	ton			
		Extended Lifting Capacity (45°)	6	ton			
3	Main Winches	Quantity	2	pcs			
		- 3	8	ton			
		Туре	Planetary				
		Steel Wire Length	45	m			
		Steel Wire Diameter	18	mm			



ITRUCK

. . .

. .

. .- .-

Hubel I I ruck Import and Export Trading Co., Ltd

Source 19947597881 alex@hbitruck.com Phitruck.com hbitruck.com Phitruck.com Alexandre Center, NO. 31ST, JIANSHE FIRST ROAD, QINGSHAN DISTRICT, WUHAN