

# 10000 Liter DONGFENG Water Bowser Truck Water Spraying Truck With Fog Cannon

Our Product Introduction

for more products please visit us on [hbitruck.com](http://hbitruck.com)

## Basic Information

- Place of Origin: Hubei
- Brand Name: DONGFENG
- Certification: ISO
- Model Number: D9
- Minimum Order Quantity: 1
- Price: \$23800-24800 per unit
- Packaging Details: nude with waxing
- Delivery Time: 15-35 days
- Payment Terms: T/T, L/C
- Supply Ability: 50 units per month



## Product Specification

- Product Name: Water Tank Truck
- Volume: 10000 Liters
- Chassis Model: DONGFENG, Optional HOWO, ISUZU, SHACMAN
- Engine: CUMMINS, B170 33
- Wheelbase: 3950 Mm
- Function: Spraying Water And Delivery Drinking Water
- Drive Model: 4x2
- Tire: 9.00R20
- Transmission: 8-speed, Manual
- Emission Standard: Euro 3
- Water Tank Material: Carbon Steel Or Stainless Steel
- Highlight: Water bowser truck with fog cannon, DONGFENG water spraying truck, 10000 liter water bowser truck



## More Images



## Product Description

The water tank truck is suitable for all kinds of road washing, trees, green belts, lawn greening, construction of roads, factories and mines, and high-altitude buildings. The watering truck can also be used as a water transportation truck. The most common models are sanitation watering truck, multi-function watering truck and green watering truck.

Our company's products come standard with front spray (duck bill), back flush, rear spray, side spray, and rear-mounted working platform. The platform is equipped with a green water cannon (which can be rotated 360°, and can be adjusted to either a column or a mist shape). , it can be adjusted to flush, heavy rain, moderate rain, light rain, drizzle), equipped with high-quality high-power special sprinkler pump (self-priming and self-draining, can pump water from river or pond to tank), power take-off, miscellaneous material filter screen, fire interface, self-flowing ball valve system, ball valve and filter screen are all national standard products, the main pipeline is thickened, the flange gasket and flange plate are thickened, and the large-diameter ball valve is used. The overall performance is excellent, safe and reliable, high efficiency, large flow, convenient maintenance and so on.

### 10000 liter DONGFENG water bowser truck water spraying truck with fog cannon.

#### Main specification :

| Complete Vehicle Parameter |   |
|----------------------------|---|
| Vehicle                    | DONGFENG water sprinkler truck  |
| Overall dimensions (mm)    | 8210x 2500 x 3200   |
| Water tank volume (L)      | 10000   |
| Gross Vehicle Weight (kg)  | Appro × 16480   |
| Net weight (kg)            | Appro × 6480  |
| Loading (kg)               | Appro × 10000   |
| Wheel base (mm)            | 3950  |
| Max speed (Km/h)           | 89  |
| Truck Chassis Parameter    |   |
| Condition                  | New, year 2025  |
| Cabin                      | D9 cabin, a sleeper, power steering, electric window, central lock, air conditioner, 3 passengers, left hand drive.   |
| Drive form                 | 4×2   |
| Engine                     | Brand : CUMMINS<br>Model : B170 33<br>Engine power : 170hp<br>Type : diesel,turbocharger inter-cooler,6 cylinder.<br>Displacement : 5.9L<br>Emission standard : Euro 3  |
| Transmission               | 8 forward,1 reverse, manual operated  |
| Tire model                 | 9.00R20   |
| No.of tires                | 6+1 pcs   |
| Water Tank Body Parameter  |   |
| Standard configuration     | 1) Carbon steel material water tank, thickness 5mm, electrophoretic paint.<br>2) With water pump.<br>3) With rear working platform.<br>4) With suction pipe.<br>5) With fire connector.<br>6) With gravity valve.<br>7) Equipped with electric water cannon in front of cabin.<br>8) Equipped with 30m fog cannon at rear . |
| Special performance        | 1) Left and right side spraying water.<br>2) Platform has a sprinkler, spraying water.<br>3) Water column can be adjusted into mist<br>4) Width of spraying water : ≥14m.<br>5) Distance of spraying water : ≥28m.<br>6) Vertical suction 6-8 m.  |

#### Pictures:







## Export



**ITRUCK**  
SPECIAL VEHICLES

**Hubei iTruck Import and Export Trading Co., Ltd**

☎ 0086 19947597881

✉ alex@hbitruck.com

🌐 hbitruck.com

ROOM 8, 17TH FLOOR, BUILDING A, JIANGWAN INTERNATIONAL 2ND PHASE, GUTIAN ROAD NO. 19,  
QIAOKOU DISTRICT, WUHAN CITY, HUBEI PROVINCE