# SINOTRUK HOWO 10 TONS water tank water cannon truck with water pump

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Minimum Order Quantity:
- Price: \$20500-\$21000 per unit

Hubei HOWO

ISO

nude with waxing

50 units per month

15-35 days

T/T, L/C

1

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



#### **Product Specification**

- Product Name:
- Volume:
- Chassis Model:
- Engine:
- Wheelbase:
- Function:
- Drive Model:
- Tire:
- Transmission:
- Emission Standard:
- Water Tank Material:
- Water Tank Truck 10000 Liters HOWO, Optional DFAC,ISUZU,SHACMAN,FAW 160hp YUCHAI Engine 4200 Mm Spraying Water And Delivery Drinking Water 4x2 8.25R20 10-speed, Manual Euro 3

Carbon Steel Or Stainless Steel



#### More Images



#### Pictures:

The water tank truck is suitable for all kinds of road washing, trees, green belts, lawn greening, construction of roads, factories and mines, and high-altitude buildings. The watering truck can also be used as a water trasnpotation truck. The most common models are sanitation watering truck, multi-function watering truck and green watering truck.

Our company's products come standard with front spray (duck bill), back flush, rear spray, side spray, and rear-mounted working platform. The platform is equipped with a green water cannon (which can be rotated 360°, and can be adjusted to either a column or a mist shape). , it can be adjusted to flush, heavy rain, moderate rain, light rain, drizzle), equipped with high-quality high-power special sprinkler pump (self-priming and self-draining, can pump water from river or pond to tank), power take-off, miscellaneous material filter screen, fire interface, self-flowing ball valve system, ball valve and filter screen are all national standard products, the main pipeline is thickened, the flange gasket and flange plate are thickened, and the large-diameter ball valve is used. The overall performance is excellent, safe and reliable, high efficiency, large flow, convenient maintenance and so on.

## SINOTRUK HOWO 10 TONS water tank water cannon truck with water pump.

Complete Vehicle Parameter	er
Vehicle	HOWO water tank truck
Overall dimensions (mm)	7950 x 2480 x 3200
Water tanker (L)	10000
Gross Vehicle Weight (kg)	Appro × 16800
Net weight (kg)	Appro × 6800
Loading (kg)	Appro × 10000
Wheel base (mm)	4200
Max speed (Km/h)	89
HOWO Truck Chassis Para	meter
Cabin	One and half row cabin, a sleeper, power steering, air conditioner, manual window, 3 passengers, left hand drive.
Drive form	4×2
Engine	Brand: YUCHAI Model: YC4E160 33 Engine power: 160hp Fuel type: diesel Displacement: 4.257L Emission standard : Euro 3
Transmission	10 forward,2 reverse, manual operated
Tire model	8.25R20
No.of tires	6+1pcs
Oil tank	220L
Superstructure Parameter	
Characteristics	<ol> <li>Carbon steel material water tank, thickness 5mm.</li> <li>With water pump.</li> <li>With rear working platform.</li> <li>With suction pipe.</li> <li>With fire connector.</li> <li>With gravity valve.</li> </ol>
Special performance	<ol> <li>Front and rear spraying water.</li> <li>Left and right side spraying water.</li> <li>Platform has a sprinkler, spraying water.</li> <li>Water column can be adjusted into mist</li> <li>Width of spraying water : ≥14m.</li> <li>Distance of spraying water : ≥28m.</li> <li>Vertical suction 6-8 m.</li> </ol>
Applicable scope	<ol> <li>for a variety of road cleaning</li> <li>City green sanitation</li> <li>Trees, green belt and lawn watering</li> <li>High altitude building rinse</li> </ol>

### Main specification :



Export

