# new ISUZU KV100 water vehicle 5 tons water tank

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C

Hubei ISUZU

ISO

1

KV100

\$19800/unit

15-35 days

nude with waxing

50 units per month

• Supply Ability:



## **Product Specification**

Product Name:

• Volume:

• Engine:

• Tire:

Isuzu Water Tank Truck 5000 Liters Chassis Model: ISUZU 4KH1CN6LB 3360 Mm • Wheelbase: • Function: Spraying Water And Delivery Drinking Water 4x2 • Drive Model: 7.00R16 • Transmission: 5-speed • Emission Standard: Euro 6 • Water Tank Material: Carbon Steel Or Stainless Steel 120hp • Engine Power:



### More Images



The water tank truck is suitable for all kinds of road washing, trees, green belts, lawn greening, construction of roads, factories and mines, and high-altitude buildings. The watering truck can also be used as a water trasnpotation truck. The most common models are sanitation watering truck, multi-function watering truck and green watering truck.

Our company's products come standard with front spray (duck bill), back flush, rear spray, side spray, and rear-mounted working platform. The platform is equipped with a green water cannon (which can be rotated 360°, and can be adjusted to either a column or a mist shape). , it can be adjusted to flush, heavy rain, moderate rain, light rain, drizzle), equipped with high-quality high-power special sprinkler pump (self-priming and self-draining, can pump water from river or pond to tank), power take-off, miscellaneous material filter screen, fire interface, self-flowing ball valve system, ball valve and filter screen are all national standard products, the main pipeline is thickened, the flange gasket and flange plate are thickened, and the large-diameter ball valve is used. The overall performance is excellent, safe and reliable, high efficiency, large flow, convenient maintenance and so on.

### new ISUZU KV100 water vehicle 5 tons water tank.

| Main | sne | cifics | ation |   |
|------|-----|--------|-------|---|
| mann | Spe | CIIICE |       | - |

| Price           ISUZU water sprinkler truck           5995x 1980 x 2350           5000           Appro x 8170           Appro x 3170           Appro x 5000           3360           89           neter           2025, new  |  |  |
|--|--|--|
| 5995x 1980 x 2350<br>5000<br>Appro x 8170<br>Appro x 3170<br>Appro x 5000<br>3360<br>89<br>neter<br>2025, new  |  |  |
| 5000<br>Appro × 8170<br>Appro × 3170<br>Appro × 5000<br>3360<br>89<br>neter<br>2025, new   |  |  |
| Appro × 8170<br>Appro × 3170<br>Appro × 5000<br>3360<br>89<br>neter<br>2025, new   |  |  |
| Appro × 3170<br>Appro × 5000<br>3360<br>89<br>neter<br>2025, new   |  |  |
| Appro × 5000<br>3360<br>89<br><b>neter</b><br>2025, new  |  |  |
| 3360<br>89<br><b>neter</b><br>2025, new  |  |  |
| 89<br>neter<br>2025, new   |  |  |
| neter<br> 2025, new  |  |  |
| neter<br> 2025, new  |  |  |
|  |  |  |
|  |  |  |
| Single row cabin, power steering, air conditioner, 2 passengers,left hand drive.   |  |  |
| 4×2  |  |  |
| Brand : ISUZU<br>Model : 4KH1CN6LB<br>Engine power : 98hp<br>Fuel type : diesel.<br>Displacement : 2999cc<br>Emission standard : Euro 6  |  |  |
| 5 forward,1 reverse, manual operated   |  |  |
| 7.00R16  |  |  |
| 6+1pcs   |  |  |
| ter  |  |  |
| 2025, new  |  |  |
| <ol> <li>Carbon steel material water tank, thickness 5mm.</li> <li>With water pump.</li> <li>With rear working platform.</li> <li>With suction pipe.</li> <li>With fire connector.</li> <li>With gravity valve.</li> </ol>   |  |  |
| <ol> <li>Front and rear spraying water.</li> <li>Left and right side spraying water.</li> <li>Platform has a sprinkler, spraying water.</li> <li>Water column can be adjusted into mist</li> <li>Width of spraying water : ≥14m.</li> <li>Distance of spraying water : ≥28m.</li> <li>Vertical suction 6-8 m.</li> <li>for a variety of road cleaning</li> </ol> |  |  |
| <ol> <li>2. City green sanitation</li> <li>3. Trees, green belt and lawn watering</li> <li>4. High altitude building rinse</li> </ol>  |  |  |
|  |  |  |

Pictures:



Export

