8-9 CBM DONGFENG water spray truck Euro 6 cheap china water trucks

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C

Hubei

ISO

Τ1

1

DONGFENG

\$16500/unit

20 days

nude with waxing

50 units per month

Supply Ability:



Product Specification

- Product Name:
- Volume:
- Chassis Model:
- Engine Brand:
- Wheelbase:
- Function:
- Drive Model:
- Tire:
- Transmission:
- Emission Standard:
- Water Tank Material:
- Engine Power:
- Water Tank Truck 8000-9000 Liters DONGFENG YUNNEI 3800 Mm Spraying Water And Delivery Drinking Water 4x2 8.25R20 6-speed Euro 6 Carbon Steel Or Stainless Steel 150hp



More Images



Main specification :

The water tank truck is suitable for all kinds of road washing, trees, green belts, lawn greening, construction of roads, factories and mines, and high-altitude buildings. The watering truck can also be used as a water trasnpotation truck. The most common models are sanitation watering truck, multi-function watering truck and green watering truck.

Our company's products come standard with front spray (duck bill), back flush, rear spray, side spray, and rear-mounted working platform. The platform is equipped with a green water cannon (which can be rotated 360°, and can be adjusted to either a column or a mist shape). , it can be adjusted to flush, heavy rain, moderate rain, light rain, drizzle), equipped with high-quality high-power special sprinkler pump (self-priming and self-draining, can pump water from river or pond to tank), power take-off, miscellaneous material filter screen, fire interface, self-flowing ball valve system, ball valve and filter screen are all national standard products, the main pipeline is thickened, the flange gasket and flange plate are thickened, and the large-diameter ball valve is used. The overall performance is excellent, safe and reliable, high efficiency, large flow, convenient maintenance and so on.

8-9 CBM DONGFENG water spray truck Euro 6 cheap china water trucks.

main specification :	
Complete Vehicle Paramete	er
Vehicle	DONGFENG water tank truck
Overall dimensions (mm)	7450 x 2300 x 2850
Water tank volume (L)	9000
Gross Vehicle Weight (kg)	Appro × 14100
Net weight (kg)	Appro × 5100
Loading (kg)	Appro × 9000
Wheel base (mm)	3800
Max speed (Km/h)	88
DONGFENG Truck Chassis	Parameter
Year	2025, new
Cabin	T1 cabin, a sleeper, power steering, air conditioner, 2-3 passengers,left hand drive.
Drive form	4×2
Engine	Brand :YUNNEI Model : D25TCIF1 Engine power : 150hp
	Fuel type : diesel. Displacement : 2.5L Emission standard : Euro 6
Transmission	6 forward,1 reverse, manual operated
Tire model	8.25R20
No.of tires	6+1pcs
Water Tanker Body Parame	
Year	2025, new
Standard configuration	 Carbon steel material water tank, thickness 5mm. With water pump. With rear working platform. With suction pipe. With fire connector. With gravity valve.
Special performance	 Front and rear spraying water. Left and right side spraying water. Platform has a sprinkler, spraying water. Water column can be adjusted into mist Width of spraying water : ≥14m. Distance of spraying water : ≥28m. Vertical suction 6-8 m.
Applicable scope	 for a variety of road cleaning City green sanitation Trees, green belt and lawn watering High altitude building rinse

Pictures:



Export

