

## Euro 5 standard 5000 gallon FAW water tank truck water sprinkler

Our Product Introduction

for more products please visit us on [hbitruck.com](http://hbitruck.com)

### Basic Information

- Place of Origin: Hubei
- Brand Name: FAW
- Certification: ISO
- Model Number: J6K
- Minimum Order Quantity: 1
- Price: \$39000/unit
- Packaging Details: nude with waxing
- Delivery Time: 20 days
- Payment Terms: T/T, L/C
- Supply Ability: 50 units per month



### Product Specification

- Product Name: Water Tank Truck
- Volume: 5000 Gallon
- Chassis Model: FAW
- Engine Brand: XICHA
- Wheelbase: 5600+1350 Mm
- Function: Spraying Water And Delivery Drinking Water
- Drive Model: 6x4
- Tire: 12.00R20
- Transmission: 10-speed
- Emission Standard: Euro 5
- Water Tank Material: Carbon Steel Or Stainless Steel
- Engine Power: 150hp



### More Images



## Product Description

The water tank truck is suitable for all kinds of road washing, trees, green belts, lawn greening, construction of roads, factories and mines, and high-altitude buildings. The watering truck can also be used as a water transportation truck. The most common models are sanitation watering truck, multi-function watering truck and green watering truck.

Our company's products come standard with front spray (duck bill), back flush, rear spray, side spray, and rear-mounted working platform. The platform is equipped with a green water cannon (which can be rotated 360°, and can be adjusted to either a column or a mist shape). , it can be adjusted to flush, heavy rain, moderate rain, light rain, drizzle), equipped with high-quality high-power special sprinkler pump (self-priming and self-draining, can pump water from river or pond to tank), power take-off, miscellaneous material filter screen, fire interface, self-flowing ball valve system, ball valve and filter screen are all national standard products, the main pipeline is thickened, the flange gasket and flange plate are thickened, and the large-diameter ball valve is used. The overall performance is excellent, safe and reliable, high efficiency, large flow, convenient maintenance and so on.

### Euro 5 standard 5000 gallon FAW water tank truck water sprinkler.

#### Main specification :

Complete Vehicle Parameter	
Vehicle	FAW water sprinkler truck
Overall dimensions (mm)	10500 x 2550 x 3100
Water tank volume (m3)	20
Gross Vehicle Weight (kg)	Appro x 31900
Net weight (kg)	Appro x 11900
Loading (kg)	Appro x 20000
Wheel base (mm)	5600+1350
Max speed (Km/h)	89
FAW Truck Chassis Parameter	
Condition	Year 2025 - the latest
Cabin	Flat top cabin,a sleeper, power steering, air conditioner, 3 passengers, left hand drive
Traction system	6x4
Engine	Brand :XICHA Model : CA6DL1-32E5 Engine power : 320hp Type : diesel, 6 cylinder, turbocharged. Displacement :7.7L Emission standard : Euro 5
Transmission	10 forward,2 reverse, manual operated
Tire model	12.00R20
No.of tires	10+1pcs
Water Tank Parameter	
Special performance	1) Front and rear spraying water. 2) Left and right side spraying water. 3) Platform has a sprinkler, spraying water. 4) Water column can be adjusted into mist 5) Width of spraying water : ≥16m. 6) Distance of spraying water : ≥30m.

#### Pictures:



*Export*



**ITRUCK**  
SPECIAL VEHICLES

**Hubei iTruck Import and Export Trading Co., Ltd**



0086 19947597881



alex@hbitruck.com



hbitruck.com

ROOM B1084 FLOOR 9TH-14TH, BUILDING A, BAOYE CENTER, NO. 31ST, JIANSHE FIRST ROAD,  
QINGSHAN DISTRICT, WUHAN